Cook

Smarter, stylish solutions

Life is busy and time in demand. With family and friends to take care of, it goes without saying you need the help of reliable kitchen appliances.

Kiwis turn to Parmoo for efficient and stylish cooking solutions that provide greater control and flexibility. Our entire range of Parmoo cooktops, ovens and free-standing stoves combine superb design, optimal energy efficiency and are backed with industry leading warranties.

Trust Parmoo to cook in your kitchen.



Freestanding stoves - country style

Country Style Cookers

Made in Europe these classic cookers are designed to provide a country style finish to your kiwi kitchen.



CERAMIC 900 FREESTANDING STOVE CS 900C-BLK

900mm 30L/66L/66L Electric









GAS 900 FREESTANDING STOVE CS 900G-BLK

900mm 30L/66L/66L Electric





Oven

Right Oven

	CS 900C-BLK	CS 900G-BLK
FUNCTIONS:	****	****
COOK TOP:	Ceramic	Gas
CAN BE JETTED FOR LPG OR NATURAL GAS:		✓
ELECTRICAL OUTLET REQUIRED:	41 amp	17 amp
UTILITY DRAWER:		
FLAME FAILURE SAFETY:		✓
DIGITAL TIMER:	~	~
TWIN FANS FOR FAST HEAT UP:		
CATALYTIC SELF-CLEANING PANELS:	MAIN OVEN ONLY	MAIN OVEN ONLY



Freestanding stoves - full gas

Cool Touch Door Technology

Fully ventilated doors, triple glazed glass and advanced cooling combines to produce "cool touch door technology". Through this clever

combination of design and functionality, the technology of Parmco's oven doors produces low door temperatures, making it safe for those little fingers.



GAS 600 FREESTANDING STOVE FS 600-GAS GAS

600mm 70L Gas Oven







GAS 900 FREESTANDING STOVE AR 900-GAS GAS-1

900mm 107L Gas Oven





	FS 600-GAS GAS	AR 900-GAS GAS-1
FUNCTIONS:	***	***
COOK TOP:	Gas burner	Gas burner
CAN BE JETTED FOR LPG OR NATURAL GAS:	V	~
ELECTRICAL OUTLET REQUIRED:	10 amp	10 amp
COOL TOUCH DOOR TECHNOLOGY:	V	✓
UTILITY DRAWER:		✓
FLAME FAILURE SAFETY:	V	✓
DIGITAL TIMER:		
TWIN FANS FOR FAST HEAT UP:		
CATALYTIC SELF-CLEANING PANELS:	✓	~

Freestanding stoves - ceramic



CERAMIC TOP 600 FREESTANDING STOVE FS600SC

600mm 76L Electric







CERAMIC TOP 900 FREESTANDING STOVE FS900SC

900mm 123L Electric







CERAMIC TOP 600 FREESTANDING STOVE FS600BC





	FS600SC	FS900SC	FS600BC
FUNCTIONS:	****	****	****
COOK TOP:	Ceramic	Ceramic	Ceramic
CAN BE JETTED FOR LPG OR NATURAL GAS:			
ELECTRICAL OUTLET REQUIRED:	32 amp	50 amp	32 amp
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
UTILITY DRAWER:	✓	✓	✓
FLAME FAILURE SAFETY:			
DIGITAL TIMER:	✓	✓	✓
TWIN FANS FOR FAST HEAT UP:		✓	
CATALYTIC SELF-CLEANING PANELS:	✓	✓	✓

Freestanding stoves - combination



COMBINATION 600 FREESTANDING STOVE FS600SG

600mm 76L Electric







COMBINATION 900 FREESTANDING STOVE FS900SG

900mm 123L Electric







COMBINATION 600 FREESTANDING STOVE FS600WG / FS600BG





			FS600WG
	FS600SG	FS900SG	FS600BG
FUNCTIONS:	****	****	****
COOK TOP:	Gas burner	Gas burner	Gas burner
CAN BE JETTED FOR LPG OR NATURAL GAS:	✓	✓	V
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
COOL TOUCH DOOR TECHNOLOGY:	V	✓	✓
UTILITY DRAWER:	✓	✓	✓
FLAME FAILURE SAFETY:	✓	✓	✓
DIGITAL TIMER:	✓	✓	V
TWIN FANS FOR FAST HEAT UP:		✓	
CATALYTIC SELF-CLEANING PANELS:	✓	V	✓

Freestanding stoves - combination



COMBINATION 900 FREESTANDING STOVE ONE AND A HALF OVEN FS9S-5-3

900mm 70L/36L Electric







COMBINATION OBSIDIAN 900 FREESTANDING STOVE FS900BG

900mm 123L Electric





	FS9S-5-3	FS900BG
FUNCTIONS:	**** ***/****	****
COOK TOP:	Gas burner	Gas burner
CAN BE JETTED FOR LPG OR NATURAL GAS:	V	✓
ELECTRICAL OUTLET REQUIRED:	20 amp	15 amp
COOL TOUCH DOOR TECHNOLOGY:	V	✓
UTILITY DRAWER:	V	✓
FLAME FAILURE SAFETY:	V	✓
DIGITAL TIMER:	V	✓
TWIN FANS FOR FAST HEAT UP:		✓
CATALYTIC SELF-CLEANING PANELS:	MAIN OVEN ONLY	✓



Freestanding stoves - 540mm/600m



ELECTRIC 540 FREESTANDING STOVE FS54R

540mm 70L/20L Oven/Grill Electric







CERAMIC 540 FREESTANDING STOVE FS54CER

540mm 70L/20L Oven/Grill Electric







ELECTRIC 600 FREESTANDING STOVE FS60R-4W / FS60R-8W

600mm 76L Oven Electric







CERAMIC 600 FREESTANDING STOVE FS60CER-8W

600mm 76L Oven Electric





FS60	R-4W	/ FS60R	
		ED_8/M	


	100-11	10040EK	10000ER OH
FUNCTIONS:	****	****	**** / **** ***
COOK TOP:	Electric (radiant coil elements)	Ceramic	Electric / Ceramic
ELECTRICAL OUTLET REQUIRED:	32 amp	32 amp	40 amp
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
GRILL DRAWER:	✓	✓	
UTILITY DRAWER:			✓
FLAME FAILURE SAFETY:			
DIGITAL TIMER:			✓
TWIN FANS FOR FAST HEAT UP:			
INTEGRATED SIDE PLUG:	✓	✓	✓

Freestanding stoves specs

GAS


600mm Freestanding Gas Stove with 3 Gas & 1 Wok Burner FS 600-GAS GAS






900mm Freestanding Gas Stove with 4 Gas, 1 Wok Burner **AR 900-GAS GAS-1**






CERAMIC


600mm Freestanding Stove with Ceramic Top FS600SC / FS600BC



900mm Freestanding Stove with Ceramic Top FS900SC




900mm Country Style Stove with Gas / Ceramic Top CS 900C-BLK / CS 900G-BLK



COMBINATION

600mm Freestanding Stove with 3 Gas & 1 Wok Burner FS600SG / FS600BG / FS600WG






900mm Freestanding Stove/900mm Freestanding Stove, 1 & a Half Door with 4 Gas, 1 Wok Burner







CERAMIC/ELECTRIC


540mm Freestanding Stove **FS54R / FS54CER**





600mm Freestanding Stove FS60R-4W / FS60R-8W / FS60CER-8W







Inbuilt ovens - gas

Parmoo ovens offer precise cooking control with excellent multi-functions, including fan forced, grilling and even catalytic self clean panels on selected models. And more importantly, all Parmoo ovens have an A class energy efficiency.

What is European A-Level energy efficiency?

The European Energy Efficiency of the appliance is rated in terms of a set of energy efficiency

classes from A to G, A being the most energy efficient, G the least efficient. This means that the appliance is using less energy to provide the same level of performance. All Parmco ovens have an A class energy efficiency. This is achieved by a new insulation system which ensures that the heat is kept in the oven. It also avoids overheating of the external surfaces, giving the ovens the extra benefit of having cool touch doors.



GAS INBUILT OVEN OV-1-6S-GAS

600mm 56L

Gas (can be jetted for LPG/NG)





	OV-1-6S-GAS
FUNCTIONS:	****
ELECTRICAL OUTLET REQUIRED:	15 amp
TIMER:	Mechanical
FAN FORCED COOKING:	
COOL TOUCH DOOR TECHNOLOGY:	✓
TELESCOPIC RAILS:	
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	
CHILD LOCK:	
TOUCH CONTROLS:	
CATALYTIC SELF-CLEANING PANELS:	



Inbuilt ovens - specialty



ELECTRIC TOUCH INBUILT OVEN PPOV-9S-48

900mm 105L Electric







ELECTRIC DOUBLE INBUILT OVEN PPOV-6S-DT-4

600mm 35L/59L Electric







SIDE DOOR (Reversable door option) **INBUILT OVEN** PPOV-6S-SIDE-1





	PPOV-9S-48	PPOV-6S-DT-4	PPOV-6S-SIDE-1
FUNCTIONS:	****	****** ***	****
ELECTRICAL OUTLET REQUIRED:	15 amp	20 amp	15 amp
TIMER:	Digital touch	Digital touch	Digital touch
FAN FORCED COOKING:	✓	✓	✓
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
TELESCOPIC RAILS			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	✓	✓	✓
CHILD LOCK:	✓		
TOUCH CONTROLS:	✓		
CATALYTIC SELF-CLEANING PANELS:	✓	MAIN OVEN ONLY	

Inbuilt ovens - premium electric

Pyrolytic oven

This is the oven you have to have in your kitchen. The PPOV-6S-PYRO-2 in stainless steel trim is 600mm wide and comes with digital touch control, quadglaze cool touch door and child safety lock. The PPOV-6S-PYRO-2 has twelve cooking functions including the pyrolytic cleaning mode.

When the pyrolytic function is selected the oven door locks and temperatures reach up to 430 degrees! All the grease and fats burn to a crisp for you to simply wipe the inside of the oven.



ELECTRIC PYROLYTIC INBUILT OVEN PPOV-6S-PYRO-2

600mm 76L Electric





PPOV-6S-PYRO-2

II OV OU I IKO E	
**** ****	
15 amp	
Digital touch	
✓	
✓	
✓	
✓	
✓	
✓	
	15 amp Digital touch



Inbuilt ovens - electric



ELECTRIC 5 SERIES INBUILT OVEN OX-1-6S-5

600mm 58L













ELECTRIC 8 SERIES INBUILT OVEN OX-1-6S-8

600mm 58L











	OX-1-65-5	OX-1-65-8
FUNCTIONS:	****	****
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp
TIMER:	Mechanical	Digital
FAN FORCED COOKING:	✓	✓
COOL TOUCH DOOR TECHNOLOGY:	~	V
TELESCOPIC RAILS:		
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	✓	✓
CHILD LOCK:		
TOUCH CONTROLS:		
CATALYTIC SELF-CLEANING PANELS:		
PYROLYTIC FUNCTION:		

Inbuilt ovens - 5 function electric



ELECTRIC 5 SERIES PUSH BUTTON INBUILT OVEN OX7-2-6S-5-1

600mm 76L Electric















ELECTRIC 5 SERIES INBUILT OVEN OX7-3-6S-5-1

600mm 76L Electric













ELECTRIC 5 SERIES INBUILT OVEN OX7-6-6S-5-1













	OX/-2-05-5-1	OX/-3-05-5-1	OX/-0-05-5-1
FUNCTIONS:	****	****	****
OVEN TYPE:	Electric	Electric	Electric
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
TIMER:	Mechanical	Mechanical	Mechanical
FAN FORCED COOKING:	✓	✓	V
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	V
TELESCOPIC RAILS:			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	✓	✓	V
CHILD LOCK:			
TOUCH CONTROLS:			
CATALYTIC SELF-CLEANING PANELS:			
PYROLYTIC FUNCTION:			

Inbuilt ovens - 8 function electric

76L capacity ovens

With Parmco's new 60cm bulilt-in ovens providing a huge 76L usable capacity, you can fit a family size roast or any other large dish. Bright lights combined with the large viewing window on the outer door, allow you to clearly see what's going

on in the oven. Finished in stunning black glass with stainless steel edges, this range creates a classic yet modern array of designs to match your kitchen. Plus, with the touch control panel and easy to read display, you have all functions under your control!



ELECTRIC 8 SERIES PUSH BUTTON INBUILT OVEN OX7-2-6S-8 -1

600mm 76L Electric







ELECTRIC 8 SERIES INBUILT OVEN OX7-3-6S-8-1

600mm 76L Electric







ELECTRIC 8 SERIES INBUILT OVEN OX7-6-6S-8-1





OA7-2-03-0-1	OX7-3-03-0-1	OX7-0-03-0-1
****	****	****
Electric	Electric	Electric
15 amp	15 amp	15 amp
Digital touch	Digital touch	Digital touch
✓	V	✓
✓	V	✓
✓	✓	✓
✓	✓	✓
	**** *** Electric 15 amp Digital touch	**** *** Electric 15 amp Digital touch V V V

Inbuilt ovens - full colour glass



ELECTRIC 5 SERIES INBUILT OVEN OX7-4-6W-5-1

600mm 76L Electric







ELECTRIC 8 SERIES INBUILT OVEN OX7-4-6W-8-1

600mm 76L Electric







ELECTRIC 8 SERIES INBUILT OVEN OX7-4-6B-8-1






	OX7-4-6W-5-1	OX7-4-6W-8-1	OX7-4-6B-8-1
FUNCTIONS:	****	****	****
OVEN TYPE:	Electric	Electric	Electric
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
TIMER:	Mechanical	Digital touch	Digital touch
FAN FORCED COOKING:	V	✓	V
COOL TOUCH DOOR TECHNOLOGY:	V	✓	V
TELESCOPIC RAILS:			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	V	✓	V
CHILD LOCK:			
TOUCH CONTROLS:			
CATALYTIC SELF-CLEANING PANELS:		✓	V
PYROLYTIC FUNCTION:			




Inbuilt ovens specs

ELECTRIC AND GAS


4 Function Gas Inbuilt Oven OV-1-6S-GAS




10 Function, 900mm Electric Touch Inbuilt Oven PPOV-9S-48




7+4 Function Electric Double Inbuilt Oven PPOV-6S-DT-4




7 Function Electric Side Door Oven PPOV-6S-SIDE-1




12 Function Electric Pyrolytic Inbuilt Oven PPOV-6S-PYRO-2



5 & 8 Function Electric Inbuilt Oven (58L) OX-1-6S-5, OX-1-6S-8




5 and 8 Function Electric Inbuilt Oven (76L) OX7-2-6S-5-1, OX7-2-6S-8-1, OX7-3-6S-5-1, OX7-3-6S-8-1, OX7-4-6B-8-1, OX7-4-6W-5-1 OX7-4-6W-8-1, OX7-6-6S-5-1, OX7-6-6S-8-1




Installation requirements

OX & OV OVEN MODEL


OX-1-6S-5 OX-1-6S-8






PPOV & OX7 OVEN MODEL

PPOV-6S-PYRO-2




OX7-2-6S-5-1, OX7-2-6S-8-1, OX7-4-6B-8-1 OX7-3-6S-5-1 OX7-3-6S-8-1, OX7-4-6W-5-1 OX7-4-6W-8-1 OX7-6-6S-5-1, OX7-6-6S-8-1




PPOV OVEN MODEL

PPOV-6S-DT-4



PPOV-9S-48





Cooktops - gas

Gas Cooktops

All gas cooktops are supplied jetted for natual gas. LPG conversion kits are supplied with all gas appliances.







GAS COOK TOP HO-1-2S-2G / HO-1-6S-3GW / HO-1-6W-3GW

300mm, 600mm Gas Hob









GAS POWER BURNER COOK TOP HO-6-6S-3GW / HO-6-77S-4GW / HO-6-9S-4GW

600mm, 770mm, 900mm Gas Hob



	HO-1-2S-2G	HO-6-6S-3GW
	HO-1-6S-3GW	HO-6-77S-4GW
	HO-1-6W-3GW	HO-6-9S-4GW
POWER SETTINGS:		
HEAT INDICATORS:		
ELECTRICAL OUTLET REQUIRED:	10 amp	10 amp
EASY CLEAN SURFACE:	~	~
AUTOMATIC IGNITION:	~	~
FLAME FAILURE SAFETY:	~	~
CAN BE JETTED FOR LPG OR NATURAL GAS:	~	~
POWERFUL 5.1KW WOK BURNER:		~
LOW PROFILE DESIGN:		✓



Cooktops - gas





GAS LOW PROFILE COOK TOP HO-2-6S-4G / HO-2-9S-4GW

600mm, 900mm Gas Hob








GAS BLACK GLASS COOK TOP HO-7-6G-3GW / HO-7-9G-4GW

600mm, 900mm Gas Hob



	HO-2-6S-4G	HO-7-6G-3GW*
	HO-2-9\$-4GW*	HO-7-9G-4GW*
POWER SETTINGS:		
HEAT INDICATORS:		
ELECTRICAL OUTLET REQUIRED:	10 amp	10 amp
EASY CLEAN SURFACE:	✓	✓
AUTOMATIC IGNITION:	V	✓
FLAME FAILURE SAFETY:	V	✓
CAN BE JETTED FOR LPG OR NATURAL GAS:	V	✓
WOK ADAPTOR SUPPLIED*:	V	✓
LOW PROFILE DESIGN:	V	~

Cooktops - ceramic





CERAMIC COOK TOP HX-1-6S-CER / HX-1-6NF-CER

600mm Ceramic Hob













CERAMIC TOUCH COOK TOP
HX-2-2NF-CER-T / HX-2-6S-CER-T / HX-2-6NF-CER-T / HX-2-75NF-CER-T / HX-2-9NF-CER-T

300mm, 600mm, 750mm, 900mm Ceramic Hob



HX-2-2NF-CER-T HX-2-6NF-CER-T / HX-2-6S-CER-T HX-2-75NF-CER-T HX-2-9NF-CEP-T

	HX-1-6NF-CER	HX-2-9NF-CER-T
POWER SETTINGS:	****	****
CONTROL TYPE:	Knob	Touch
ELECTRICAL OUTLET REQUIRED:	25 amp	15 amp / 25 amp / 32 amp / 32 amp
HEAT INDICATORS:	✓	✓
EXCESSIVE HEAT PROTECTION:	✓	✓
EASY CLEAN SURFACE:	✓	✓
CHILD LOCK:		✓
TIMER FUNCTION:		✓
BOOST FUNCTION:		



ktops - induction

Induction Cooktops

Induction cooking works by using magnetic energy to heat the pot or pan. Put simply, the pot becomes the element. Induction cooking provides instant heat, precise heat control and very efficient energy consumption.

The latest technology of zoneless induction cooking allows you to place pots of various sizes anywhere within the zones and the cooktop will automatically recognise the pot.



INDUCTION COOK TOP **HX-2-2NF-INDUCT**

300mm Induction





Refer to page 48 for the Induction Hob with In-Built downdraft above

DD-700IB-IND



INDUCTION COOK TOP **HX-2-6NF-INDUCT**

600mm Induction



CHILD LOCK: TIMER FUNCTION: **BOOST FUNCTION*:**



INDUCTION ZONELESS COOK TOP **HX-2-6NF-ZLIND**

600mm **Zoneless Induction**





INDUCTION 5 ZONE COOK TOP HX-2-9NF-INDUCT

900mm Induction




POWER SETTINGS:	****	****	****
CONTROL TYPE:	Touch	Touch	Touch
ELECTRICAL OUTLET REQUIRED:	15 amp	25 amp	32 amp
HEAT INDICATORS:	~	✓	✓
EXCESSIVE HEAT PROTECTION:	~	V	✓
EASY CLEAN SURFACE:	~	V	✓
CHILD LOCK:	✓	V	V


Cooktops specs

GAS


300mm Stainless Steel 2 Gas Burner Domino Hob **HO-1-2S-2G**




600mm Stainless Steel/White 3 Gas & 1 Wok Burner Hob HO-1-6S-3GW / HO-1-6W-3GW




600mm Stainless Steel Low Profile 4 Gas Burner Hob **HO-2-6S-4G**




900mm Stainless Steel Low Profile 4 Gas & 1 Wok Burner Hob HO-2-9S-4GW




600mm Stainless Steel 3 Gas & 1 Wok Burner Hob **HO-6-6S-3GW**



770mm Stainless Steel 4 Gas Burner Hob **HO-6-77S-4GW**




900mm Stainless Steel 4 Gas & 1 Wok Burner Hob **HO-6-9S-4GW**



600mm Black Glass 3 Gas & 1 Wok Burner Hob **HO-7-6G-3GW**




900mm Black Glass 4 Gas & 1 Wok Burner Hob **HO-7-9G-4GW**




CERAMIC


Ceramic Domino Hob with Touch Controls HX-2-2NF-CER-T




600mm Ceramic Hob Stainless Steel frame HX-1-6S-CER / HX-2-6S-CER-T




600mm Frameless Ceramic Hob HX-1-6NF-CER




600mm Frameless Ceramic Hob with Touch Controls HX-2-6NF-CER-T



750mm Frameless Ceramic Hob with Touch Controls HX-2-75NF-CER-T




900mm Frameless Ceramic Hob with Touch Controls HX-2-9NF-CER-T




INDUCTION

300mm Frameless Induction Hob with Touch Controls **HX-2-2NF-INDUCT**



600mm Frameless Induction Hob with Touch Controls. *Zoneless Version

HX-2-6NF-INDUCT HX-2-6NF-ZLIND*



900mm Frameless Induction Hob with Touch Controls **HX-2-9NF-INDUCT**

