# A cleaner, safer home environment

Creating the healthiest kitchen setting for Kiwis is our focus. Parmco's high performance, quiet and stylish ventilation options allow you to entertain family and friends in a cleaner atmosphere. From canopies, to rangehoods, to concealed power paks and riser units, trust Parmco to deliver healthier solutions for your kitchen.



# Canopies - glass

#### Halogen or LED Lights

The sleek control panels are easy to use and offer a selection of fan speeds that easily remove steam and cooking smells. Operated by a separate control button, the halogen or LED lights provide illumination over the entire cooking surface.



#### Fully removable aluminium filters

The aluminium filters effectively catch grease and are designed to be easily removed and easily cleaned.



GLASS CURVED CANOPY T4-11GLA-6L 600mm 1000m3/hour



GLASS CURVED CANOPY T4-11GLA-9L 900mm 1000m3/hour

1000



	T4-11GLA-6L	T4-11GLA-9L
SPEED SETTINGS:	* * *	***
NOISE:	63dB	63dB
CANOPY STYLE:	Curved glass	Curved glass
REMOTE MOTOR COMPATIBLE:	<b>v</b>	✓
REMOVABLE GREASE FILTERS:	v	✓
LED LIGHTS:	<b>v</b>	✓
CAN BE RECIRCULATED:	v	✓
EXTENDABLE CHIMNEY:	<b>v</b>	✓
150MM DUCTING:	<b>v</b>	✓
DIGITAL DISPLAY:		
TOUCH CONTROLS:		
TIMER:		



PERIPHERAL BOX CANOPY RPER-9G-1000

900mm 1000m3/hour



RLCD-6G-100 \*\*\* SPEED SETTINGS: NOISE: 63dB CANOPY STYLE: LCD Low profile REMOTE MOTOR COMPATIBLE: **REMOVABLE GREASE FILTERS:** ~ LED LIGHTS: ~ CAN BE RECIRCULATED: 1 EXTENDABLE CHIMNEY: 150MM DUCTING: DIGITAL DISPLAY: TOUCH CONTROLS: ~ TIMER:



### SLIMLINE DIGIMAX BOX CANOPY

RLCD-6G-1000L 600mm

1000m3/hour



### SLIMLINE DIGIMAX BOX CANOPY RLCD-9G-1000L

900mm 1000m3/hour



00L	RLCD-9G-1000L	RPER-9G-1000
	***	***
	63dB	60dB
e box	LCD Low profile box	Peripheral
	~	<b>v</b>
	<b>v</b>	<b>v</b>
	<b>v</b>	
	<b>v</b>	<b>v</b>
	<b>v</b>	
	<b>v</b>	✓
	<b>v</b>	✓

# Canopies - box



BOX CANOPY RBOX-6S-1000L 600mm

1000m3/hour





BOX CANOPY RBOX-9S-1000L 900mm 1000m3/hour



	<b>RBOX-6S-1000L</b>	RBOX-9S-1000L
SPEED SETTINGS:	***	* * *
NOISE:	63dB	63dB
CANOPY STYLE:	Box	Box
REMOTE MOTOR COMPATIBLE:	<b>v</b>	~
REMOVABLE GREASE FILTERS:	<b>v</b>	~
LED LIGHTS:	<b>v</b>	~
CAN BE RECIRCULATED:	<b>v</b>	~
EXTENDABLE CHIMNEY:		
150MM DUCTING:	<b>v</b>	~
DIGITAL DISPLAY:		
TOUCH CONTROLS:		
TIMER:		





LOW PROFILE BOX CANOPY T4-12LOW-9L 900mm 1000m3/hour



	T4-12LOW-9L	T4-12LOW-6L	T4-12LOW-9IS-1
SPEED SETTINGS:	* * *	***	***
NOISE:	63dB	63dB	62dB
CANOPY STYLE:	Low profile box	Low profile box	Island mounted low profile box
REMOTE MOTOR COMPATIBLE:	<ul> <li>✓</li> </ul>	<b>v</b>	
REMOVABLE GREASE FILTERS:	<b>v</b>	<b>v</b>	<ul> <li>✓</li> </ul>
LED LIGHTS:	<b>v</b>	✓	<ul> <li>✓</li> </ul>
CAN BE RECIRCULATED:	<b>v</b>	✓	
EXTENDABLE CHIMNEY:	<b>v</b>	✓	
150MM DUCTING:	<b>v</b>	✓	✓
DIGITAL DISPLAY:			
TOUCH CONTROLS:			
TIMER:			

### LOW PROFILE BOX CANOPY T4-12LOW-6L

600mm 1000m3/hour







ISLAND CANOPY T4-12LOW-9IS-1 900mm 1000m3/hour



# Canopies - pyramid



**STYLELINE 500 CANOPY** RCAN-6S-500L

RCAN-6W-500L 600mm 500m3/hour

**ZYEA** 

**STYLELINE 500 CANOPY** RCAN-9S-500L 900mm 500m3/hour



UNBRANDED LIFESTYLE 1000 CANOPY URCAN-6B / 9B-1000L 600/900mm 1000m3/hour



RCAN-6S / W-500L RCAN-9S-500L URCAN-6B / 9B-1000L \*\*\* \*\*\* \*\*\* SPEED SETTINGS: 48dB 48dB NOISE: 63db CANOPY STYLE: Pyramid Pyramid Pyramid REMOTE MOTOR COMPATIBLE: ~ **REMOVABLE GREASE FILTERS:** ~ V r LED LIGHTS: V V ~ CAN BE RECIRCULATED: V ~ V EXTENDABLE CHIMNEY: V ✔ (stainless steel only) V ~ 150MM DUCTING: ~ DIGITAL DISPLAY: TOUCH CONTROLS: TIMER:








LIFESTYLE 1000 CANOPY **RCAN-9S-1000L RCAN-9W-1000L** 900mm 1000m3/hour



	RCAN-6S / W-1000L	RCAN-9S / W-1000L	T4-13DM-SLI-1
SPEED SETTINGS:	* * *	***	****
NOISE:	63dB	63dB	47dB
CANOPY STYLE:	Pyramid	Pyramid	Slim pyramid
REMOTE MOTOR COMPATIBLE:	<b>v</b>	✓	
REMOVABLE GREASE FILTERS:	<b>v</b>	✓	✓
LED LIGHTS:	<b>v</b>	✓	Halogen
CAN BE RECIRCULATED:	<b>v</b>	✓	
EXTENDABLE CHIMNEY:	<ul> <li>(stainless steel only)</li> </ul>	✔ (stainless steel only)	
150MM DUCTING:	<b>v</b>	✓	✓
DIGITAL DISPLAY:			✓
TOUCH CONTROLS:			✓
TIMER:			<b>v</b>



## **SLIMLINE PYRAMID CANOPY**



### LIFESTYLE 1000 CANOPY RCAN-6S-1000L RCAN-6W-1000L


600mm 1000m3/hour




## Canopy specs

## PYRAMID CANOPIES

600mm Stainless Steel / White / Black Pyramid Canopy (500 & 1000) RCAN-6S-500L / RCAN-6W-1000L RCAN-6S-1000L / URCAN-6B-1000L






900mm Stainless Steel / White / Black

Pyramid Canopy (500 & 1000)

RCAN-9S-500L / RCAN-9W-1000L


RCAN-9S-1000L / URCAN-9B-1000L




900mm Stainless Steel Slimline Pyramid Canopy T4-13DM-SLI-1



#### 600mm Curved Glass Canopy T4-11GLA-6L




900mm Curved Glass Canopy T4-11GLA-9L




### **BOX CANOPIES**


900mm Glass LED Box Canopy RPER-9G-1000


900mm Stainless Steel






900mm Stainless Steel Island Canopy T4-12LOW-9IS-1





900mm Stainless Steel


### 600mm Stainless Steel Digimax LCD Box Canopy RLCD-6G-1000L



Digimax LCD Box Canopy RLCD-9G-1000L



T8C-LGAT extendable cove



T8C-LGAT extendable cove

## Rangehoods - inbuilt



**GLASS FRONT CAPRICE** RANGEHOOD T5C-6S-350 / T5C-6W-350

600mm 350m3/hour





**INTEGRATED TURBO PAK PLUS** RANGEHOOD T7-6S-4 / T7-9S-4 520mm / 746mm

1000m3/hour



	T5C-6S-350 / T5C-6W-350	T7-6S-4 / T7-9S-4	
SPEED SETTINGS:	* * *	***	
NOISE:	68dB	63dB	
RANGEHOOD STYLE:		Integrated	
DUCTING:	120mm	150mm	
CAN BE RECIRCULATED:	<b>v</b>	~	
REMOTE MOTOR COMPATIBLE:		~	
FULL WIDTH REMOVABLE GREASE FILTERS:	<b>v</b>	~	
LIGHTS:	Incandescent	LED	
VENTED:	Top or rear	Тор	

## Rangehoods - tilt front



**TILTA FRONT RANGEHOOD** T1-6-3L 600mm





# Rangehoods - telescopic





TELESCOPIC MILANO RANGEHOOD T2-6HAL		
600mm 700m3/hour		
ZYEAR Wigrouty		




T1-6-3L	T2-6HAL	T2-6-1L / T2-9-1L
* * *	* * *	* * *
58dB	60dB	60dB
Tilt front	Pull out under cupboard mounted	Pull out under cupboard mounted
150mm	150mm	125mm
✓	~	<b>v</b>
<ul> <li>✓</li> </ul>	~	<b>v</b>
LED	~	~
	*** 58dB Tilt front 150mm ✓	***     ***       58dB     60dB       Tilt front     Pull out under cupboard mounted       150mm     150mm       ✓     ✓

### **TELESCOPIC MILANO RANGEHOOD** T2-6-1L / T2-9-1L 600mm / 900mm 440m3/hour

# Rangehoods specs


### TILT

600mm Tilta Front Rangehood T1-6-3L



### INBUILT


600mm Glass Front Rangehood T5C-6S-350 / T5C-6W-350




#### 520mm Integrated Turbo Pak Plus Rangehood T7-6S-4

### **TELESCOPIC MILANO**

600mm Telescopic Rangehood T2-6HAL



600mm Telescopic Rangehood T2-6-1L






746mm Integrated Turbo

Pak Plus Rangehood

T7-9S-4



## Ducting

## **CANOPY & RANGEHOOD OPTIONS**

### **Recirculating options:**

TPC T7-6TWIN, T5-6 TPC-NT T1-6-2, T1-9HT, T1-6HT, T1-6-2L, T1-9HTL, T1-6HTL

TPC-AT 110 (LED models)

T2-6HAL, T2-6-1L, T2-9-1L, RBOX, RCAN, T4-11GLA-6L, T4-11GLA-9L, T4-12LOW-6L, T4-12LOW-9L, T7-6S-4, T7-9S-4, RLCD, RLOW

TPC-AT 152 R6-501-1, DD-700IB-IND

## PARMCO DUCTING PACKS

Parmco Ducting Packs provide you with the convenience of being able to buy your ducting requirements out of the one standardised pack, taking the stress out of the ducting process.

	DPAKW150-1	
AVAILABLE SIZES:	150mm	
COMPONENTS:	Semi rigid 1m	
	aluminium	
	Outlet with vanes	

Parmeo

### TPC-AT 160 (Halogen models)

RBOX, RCAN, T4-12LOW, T4-11GLA, T4-11GLA-6, T2-6HA, RTEL, RLOW, RLCD, T7-6S-3, T7-9S-3


### TPC-CB

T5C-6S-350, T5C-6W-350

### TPC-AT 130

T1-6-3L

### EXPOSED REAR VENT KIT:



# Downdrafts

### **Rear-riser glass top**

The rear-riser downdraft is a clever solution to address ventilation space challenges, enabling kitchen design versatility. With this stylish line of rear-riser downdrafts, featuring black glass panel and touch control, you can enjoy the benefits of the perfect kitchen: no more clutter or obstructed kitchen views.

For example you can design your kitchen so that the cooktop is positioned in front of a window or even on an island bench. The rear-riser glides gently into position to quickly remove all odours and steam.

600MM DOWN DRAFT **REAR RISER UNIT** DD-600RR-G / DD-900RR-G



600mm/900mm 1000m3/hour

	DD-600RR-G / DD-900RR-G
SIZE:	600mm / 900mm
TYPE OF DOWNDRAFT:	Rear-riser downdraft
SPEED SETTINGS:	****
TOUCH CONTROL:	<b>v</b>
REMOVABLE ALUMINIUM FILTER:	<b>v</b>
DURABLE STAINLESS STEEL:	<b>v</b>
AVAILABLE WITHOUT COOKTOP INTEGRA	ATION: 🖌
REMOTE MOTOR KIT SUPPLIED:	<b>v</b>
INTEGRATED LED LIGHTS:	<b>v</b>



**700MM INDUCTION HOB** WITH BUILT-IN DOWNDRAFT DD-700IB-IND 700mm

504m3/hour



	DD-700IB-IND
SIZE:	700mm
TYPE OF DOWNDRAFT:	Built-in downdraft
NOISE:	69db
SPEED SETTINGS:	***
REMOVABLE ALUMINIUM FILTER:	<b>v</b>
TIMER:	<b>v</b>
TOUCH CONTROL:	<b>v</b>
CHILD LOCK:	<b>v</b>
REMOTE MOTOR KIT SUPPLIED:	<b>v</b>
CARBON FILTER AVAILABLE:	<b>v</b>




## Downdrafts

## REAR RISER GLASS TOP AND INDUCTION HOB **BUILT-IN DOWNDRAFT**


Please refer to the installation manual for cutout guides.

Note: This unit is supplied with a remote motor kit which allows the fan motor to be placed up to 4.5 metres away from the downdraft. Ducting not supplied with unit.

600mm REAR RISER DD-600RR-G



700mm INDUCTION HOB WITH **BUILT-IN DOWNDRAFT** DD-700IB-IND



#### 900mm REAR RISER DD-900RR-G