# Smarter, stylish solutions

Life is busy and time in demand. With family and friends to take care of, it goes without saying you need the help of reliable kitchen appliances. Kiwis turn to Parmco for efficient and stylish cooking solutions that provide greater control and flexibility. Our entire range of Parmco cooktops, ovens and free-standing stoves combine superb design, optimal energy efficiency and are backed with industry leading warranties. Trust Parmco to cook in your kitchen.



## Freestanding stoves Country Style Cookers



CERAMIC 900 FREESTANDING STOVE **CS 900C-BLK** 

900mm 30L/66L/66L Electric





GAS 900 FREESTANDING STOVE CS 900G-BLK

900mm 30L/66L/66L Electric





and designed

## Freestanding stoves Gas



(i)

GAS 600 FREESTANDING STOVE FS 600-GAS GAS 600mm

70L Gas Oven





GAS 900

900mm

	<b>CS 900C-BLK</b>	<b>CS 900G-BLK</b>
FUNCTIONS:	**** *	**** *
COOK TOP:	Ceramic	Gas
CAN BE JETTED FOR LPG OR NATURAL GAS:		~
ELECTRICAL OUTLET REQUIRED:	41 amp	17 amp
UTILITY DRAWER:		
FLAME FAILURE SAFETY:		<b>v</b>
DIGITAL TIMER:	~	<b>v</b>
TWIN FANS FOR FAST HEAT UP:		
CATALYTIC SELF-CLEANING PANELS:	MAIN OVEN ONLY	MAIN OVEN ONLY

	FS 600-GAS GAS	AR 900-GAS GAS-1
FUNCTIONS:	****	****
COOK TOP:	Gas burner	Gas burner
CAN BE JETTED FOR LPG OR NATURAL GAS:	~	<b>v</b>
ELECTRICAL OUTLET REQUIRED:	10 amp	10 amp
COOL TOUCH DOOR TECHNOLOGY:	~	<b>v</b>
UTILITY DRAWER:		<b>v</b>
FLAME FAILURE SAFETY:	~	<ul> <li>✓</li> </ul>
DIGITAL TIMER:		
TWIN FANS FOR FAST HEAT UP:		
CATALYTIC SELF-CLEANING PANELS:	~	~





### **FREESTANDING STOVE** AR 900-GAS GAS-1

### Cool Touch Door Technology

## Freestanding stoves Ceramic



### CERAMIC TOP 600 FREESTANDING STOVE FS600SC

600mm 76L





CERAMIC TOP 900 FREESTANDING STOVE FS900SC

900mm 123L





CERAMIC TOP 600 FREESTANDING STOVE FS600BC

600mm 76L Electric



F20002C	F59005C	F2000BC
**** ***	**** ***	**** ***
Ceramic	Ceramic	Ceramic
32 amp	50 amp	32 amp
<b>v</b>	<ul> <li>✓</li> </ul>	✓
<b>v</b>	<ul> <li>✓</li> </ul>	✓
<b>v</b>	<ul> <li>✓</li> </ul>	✓
	<ul> <li>✓</li> </ul>	
<b>v</b>	<ul> <li>✓</li> </ul>	✓
	***** *** Ceramic 32 amp ✓ ✓	*****     *****       Ceramic     Ceramic       32 amp     50 amp       ✓     ✓       ✓     ✓       ✓     ✓       ✓     ✓

## Freestanding stoves Combination



COMBINATION 600 FREESTANDING STOVE FS600SG 600mm 76L Electric

### COMBINATION 900 FREESTANDING STOVE

FS900SG 900mm 123L Electric

VEAR Worranty
k k
****

HEAR UDD	
****	

			FS600WG
	FS600SG	FS900SG	FS600BG
FUNCTIONS:	**** ***	**** ***	**** ***
COOK TOP:	Gas burner	Gas burner	Gas burner
CAN BE JETTED FOR LPG OR NATURAL GAS:	✓	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
COOL TOUCH DOOR TECHNOLOGY:	<b>v</b>	<b>v</b>	<ul> <li>✓</li> </ul>
UTILITY DRAWER:	<b>v</b>	<b>v</b>	<ul> <li>✓</li> </ul>
FLAME FAILURE SAFETY:	<b>v</b>	<b>v</b>	<ul> <li>✓</li> </ul>
DIGITAL TIMER:	✓	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
TWIN FANS FOR FAST HEAT UP:		<b>v</b>	
CATALYTIC SELF-CLEANING PANELS:	<b>v</b>	<b>v</b>	<ul> <li>✓</li> </ul>



### COMBINATION 600 FREESTANDING STOVE FS600WG / FS600BG

600mm 76L Electric



## Freestanding stoves Combination



COMBINATION 900 FREESTANDING STOVE ONE AND A HALF OVEN FS9S-5-3







COMBINATION OBSIDIAN 900 FREESTANDING STOVE FS900BG

900mm 123L Electric



	FS9S-5-3	FS900BG	
FUNCTIONS:	**** ***/****	**** ***	
COOK TOP:	Gas burner	Gas burner	
CAN BE JETTED FOR LPG OR NATURAL GAS:	~	~	
ELECTRICAL OUTLET REQUIRED:	20 amp	15 amp	
COOL TOUCH DOOR TECHNOLOGY:	~	~	
UTILITY DRAWER:	~	~	
FLAME FAILURE SAFETY:	~	~	
DIGITAL TIMER:	~	~	
TWIN FANS FOR FAST HEAT UP:		~	
CATALYTIC SELF-CLEANING PANELS:	MAIN OVEN ONLY	~	



## Freestanding stoves 540mm / 600mm - Electric



### **ELECTRIC 600** FREESTANDING STOVE FS60WP4

600mm 60L Oven Electric





**ELECTRIC 540** FREESTANDING STOVE FS54R

540mm 70L/20L Oven/Grill





ELECTRIC 600 **FREESTANDING STOVE** FS60WR4 / FS60WR8

600mm 76L Oven Electric









CERAMIC 540 **FREESTANDING STOVE** FS54CER

540mm 70L/20L Oven/Grill Electric



600mm 76L Oven Electric **ZYEAR** 

h

FS60WC8

	FS60WP4	FS54R	FS60WR4 / FS60WR8
FUNCTIONS:	****	**** *	**** / ***** ***
COOK TOP:	Electric (Solid Plate)	Electric (radiant coil elements)	Electric (radiant coil elements)
ELECTRICAL OUTLET REQUIRED:	40 amp	32 amp	40 amp
COOL TOUCH DOOR TECHNOLO	DGY: 🖌	~	V
GRILL DRAWER:		~	
UTILITY DRAWER:	<b>v</b>		v
DIGITAL TIMER:			v
INTEGRATED SIDE PLUG:		~	🖌 (Both Sides)
ADJUSTABLE FEET:			~

	FS54CER	FS60WC8
FUNCTIONS:	**** *	**** ***
COOK TOP:	Ceramic	Ceramic
ELECTRICAL OUTLET REQUIRED:	32 amp	40 amp
COOL TOUCH DOOR TECHNOLOGY:	~	v
GRILL DRAWER:	~	
UTILITY DRAWER:		v
DIGITAL TIMER:		v
INTEGRATED SIDE PLUG:	~	🖌 (Both Sides)
ADJUSTABLE FEET:		<b>v</b>

Electric















**CERAMIC 600 FREESTANDING STOVE** 


> Two Incorporated left and right



## Freestanding stoves specs


### GAS

600mm Freestanding Gas Stove with 3 Gas & 1 Wok Burner **FS 600-GAS GAS** 



## CERAMIC

600mm Freestanding Stove with Ceramic Top **FS600SC / FS600BC** 




900mm Freestanding Stove with Ceramic Top FS900SC

900mm Freestanding Stove with 4 Gas, 1 Wok Burner

FS900SG / FS900BG

00 🔜 00000




900mm Freestanding Gas Stove with 4 Gas, 1 Wok Burner

AR 900-GAS GAS-1

0 0000000

900mm Country Style Stove with Gas / Ceramic Top CS 900C-BLK / CS 900G-BLK




900mm Freestanding Stove 1 & a Half Door with 4 Gas, 1 Wok Burner

FS9S-5-3


### COMBINATION

600mm Freestanding Stove with 3 Gas & 1 Wok Burner FS600SG / FS600BG / FS600WG



### **CERAMIC / ELECTRIC**

600mm Freestanding Stove **FS60WP4** 





540mm







Freestanding Stove

600mm



Parmco



## Inbuilt Ovens

### Gas

Parmoo ovens offer precise cooking control with excellent multi-functions, including fan forced, grilling and even catalytic self clean panels on selected models. And more importantly, all Parmoo ovens have an **A class energy efficiency**.

## Inbuilt Ovens Specialty



### GAS INBUILT OVEN OV-1-6S-GAS

600mm 56L Gas (can be jetted for LPG/NG)



## What is European A-Level energy efficiency?

The European Energy Efficiency of the appliance is rated in terms of a set of energy efficiency classes from A to G, A being the most energy efficient, G the least efficient. This means that the appliance is using less energy to provide the same level of performance. All Parmco ovens have an A class energy efficiency. This is achieved by a new insulation system which ensures that the heat is kept in the oven. It also avoids overheating of the external surfaces, giving the ovens the extra benefit of having cool touch doors.



BB

B

\*

### ELECTRIC TOUCH INBUILT OVEN PPOV-9S-48

900mm 105L

Electric

**ZYEAR** 





	PPOV-9S-48	PPOV-6S-SIDE-1	PPOV-6S-DT-4
	**** *****	**** **	*****
ILET REQUIRED:	15 amp	15 amp	20 amp
	Digital touch	Digital touch	Digital touch
DOKING:	<b>v</b>	<ul> <li>✓</li> </ul>	✓
OOR TECHNOLOGY:	<b>v</b>	<ul> <li>✓</li> </ul>	✓
LS			
VEL ENERGY EFFICIENCY:	<b>v</b>	✓	<b>v</b>
	<b>v</b>		
DLS:	<b>v</b>		
-CLEANING PANELS:	<b>v</b>		MAIN OVEN ONLY

FUNCTIONS:
ELECTRICAL OUTLET REQUIRED:
TIMER:
FAN FORCED COOKING:
COOL TOUCH DOOR TECHNOLOGY:
TELESCOPIC RAILS
EUROPEAN A-LEVEL ENERGY EFFICIENC
CHILD LOCK:
TOUCH CONTROLS:
CATALYTIC SELF-CLEANING PANELS:

	OV-1-03-0A3	
FUNCTIONS:	****	
ELECTRICAL OUTLET REQUIRED:	15 amp	
TIMER:	Mechanical	
FAN FORCED COOKING:		
COOL TOUCH DOOR TECHNOLOGY:	✓	
TELESCOPIC RAILS:		
EUROPEAN A-LEVEL ENERGY EFFICIENCY:		
CHILD LOCK:		
TOUCH CONTROLS:		
CATALYTIC SELF-CLEANING PANELS:		



### SIDE DOOR (Reversable door option) INBUILT OVEN PPOV-6S-SIDE-1



### ELECTRIC DOUBLE INBUILT OVEN PPOV-6S-DT-4

600mm 35L/59L Electric






## Inbuilt Ovens **Premium Electric**



### **ELECTRIC PYROLYTIC INBUILT OVEN** PPOV-6S-PYRO-2



### 76L Capacity Ovens

## Inbuilt Ovens Electric



# **ELECTRIC 8 SERIES**

**ELECTRIC 5 SERIES INBUILT OVEN** OX-1-6S-5

600mm 58L

Electric





<u>,</u> . .

OX-1-6S-8

600mm

Electric

58L

	OX-1-6S-5	OX-1-6S-8
FUNCTIONS:	****	**** ***
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp
TIMER:	Mechanical	Digital
FAN FORCED COOKING:	~	<ul> <li>✓</li> </ul>
COOL TOUCH DOOR TECHNOLOGY:	~	<ul> <li>✓</li> </ul>
TELESCOPIC RAILS:		
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	~	<ul> <li>✓</li> </ul>
CHILD LOCK:		
TOUCH CONTROLS:		
CATALYTIC SELF-CLEANING PANELS:		
PYROLYTIC FUNCTION:		

	PPOV-6S-PYRO-2	
FUNCTIONS:	**** ***** **	
ELECTRICAL OUTLET REQUIRED:	15 amp	
TIMER:	Digital touch	
FAN FORCED COOKING:	~	
COOL TOUCH DOOR TECHNOLOGY:	~	
TELESCOPIC RAILS:		
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	~	
CHILD LOCK:	~	
TOUCH CONTROLS:	~	
CATALYTIC SELF-CLEANING PANELS:		
PYROLYTIC FUNCTION:	v	

Parmco





## Inbuilt Ovens Electric - 5 Function

## Inbuilt Ovens Electric - 8 Function



ELECTRIC 5 SERIES PUSH BUTTON INBUILT OVEN OX7-2-6S-5-1

600mm 76L





ELECTRIC 5 SERIES INBUILT OVEN OX7-3-6S-5-1

600mm 76L Electric





ELECTRIC 5 SERIES INBUILT OVEN OX7-6-6S-5-1

600mm 76L Electric



FUNCTIONS:	****	****	****
OVEN TYPE:	Electric	Electric	Electric
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
TIMER:	Mechanical	Mechanical	Mechanical
FAN FORCED COOKING:	<b>v</b>	✓	<ul> <li>✓</li> </ul>
COOL TOUCH DOOR TECHNOLOGY:	<b>v</b>	✓	<ul> <li>✓</li> </ul>
TELESCOPIC RAILS:			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	<b>v</b>	✓	<ul> <li>✓</li> </ul>
CHILD LOCK:			
TOUCH CONTROLS:			
CATALYTIC SELF-CLEANING PANELS:			
PYROLYTIC FUNCTION:			



**INBUILT OVEN** 

OX7-3-6S-8-1

600mm

ELECTRIC 8 SERIES PUSH BUTTON INBUILT OVEN OX7-2-6S-8 -1

### OX7-2-6S-8 -1 600mm

76L Electric



76L Electric

	OX7-2-6S-8-1	OX7-3-6S-8-1	OX7-6-6S-8-1
FUNCTIONS:	**** ***	**** ***	**** ***
OVEN TYPE:	Electric	Electric	Electric
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
TIMER:	Digital touch	Digital touch	Digital touch
FAN FORCED COOKING:	<ul> <li>✓</li> </ul>	<b>v</b>	<ul> <li>✓</li> </ul>
COOL TOUCH DOOR TECHNOLOGY:	<ul> <li>✓</li> </ul>	<b>v</b>	<ul> <li>✓</li> </ul>
TELESCOPIC RAILS:			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	<ul> <li>✓</li> </ul>	<b>v</b>	<ul> <li>✓</li> </ul>
CHILD LOCK:			
TOUCH CONTROLS:			
CATALYTIC SELF-CLEANING PANELS:	<ul> <li>✓</li> </ul>	<b>v</b>	<ul> <li>✓</li> </ul>
PYROLYTIC FUNCTION:			



**ELECTRIC 8 SERIES** 







## Inbuilt Ovens Full Colour Glass



**ELECTRIC 5 SERIES INBUILT OVEN** OX7-4-6W-5-1

600mm





**ELECTRIC 8 SERIES INBUILT OVEN** OX7-4-6W-8-1

600mm 76L Electric





**ELECTRIC 8 SERIES INBUILT OVEN** OX7-4-6B-8-1

600mm 76L Electric




	OX7-4-6W-5-1	OX7-4-6W-8-1	OX7-4-6B-8-1
FUNCTIONS:	****	**** ***	**** ***
OVEN TYPE:	Electric	Electric	Electric
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
TIMER:	Mechanical	Digital touch	Digital touch
FAN FORCED COOKING:	<b>v</b>	<ul> <li>✓</li> </ul>	<b>v</b>
COOL TOUCH DOOR TECHNOLOGY:	<b>v</b>	<ul> <li>✓</li> </ul>	<b>v</b>
TELESCOPIC RAILS:			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	<b>v</b>	<ul> <li>✓</li> </ul>	<b>v</b>
CHILD LOCK:			
TOUCH CONTROLS:			
CATALYTIC SELF-CLEANING PANELS:		<b>v</b>	<b>v</b>
PYROLYTIC FUNCTION:			


## Inbuilt ovens specs

### **ELECTRIC AND GAS**


4 Function Gas Inbuilt Oven OV-1-6S-GAS




7+4 Function Electric Double Inbuilt Oven PPOV-6S-DT-4



12 Function Electric Pyrolytic Inbuilt Oven PPOV-6S-PYRO-2




5 and 8 Function Electric Inbuilt Oven (76L) OX7-2-6S-5-1, OX7-2-6S-8-1, OX7-3-6S-5-1, OX7-3-6S-8-1, OX7-4-6B-8-1, OX7-4-6W-5-1 OX7-4-6W-8-1, OX7-6-6S-5-1, OX7-6-6S-8-1




76L Electric


### 10 Function, 900mm Electric Touch Inbuilt Oven PPOV-9S-48



### 7 Function Electric Side Door Oven PPOV-6S-SIDE-1




5 & 8 Function Electric Inbuilt Oven (58L) OX-1-6S-5, OX-1-6S-8



## Installation requirements


### OX & OV OVEN MODEL

OX-1-6S-5 OX-1-6S-8




### PPOV & OX7 OVEN MODEL

PPOV-6S-PYRO-2




### PPOV OVEN MODEL


PPOV-6S-DT-4




OV-1-6S-GAS



OX7-2-6S-5-1, OX7-2-6S-8-1, OX7-4-6B-8-1 OX7-3-6S-5-1 OX7-3-6S-8-1, OX7-4-6W-5-1 OX7-4-6W-8-1 OX7-6-6S-5-1, OX7-6-6S-8-1




PPOV-9S-48



Cooktops

## Gas



GAS COOK TOP HO-1-2S-2G / HO-1-6S-3GW / HO-1-6W-3GW 300mm, 600mm Gas Hob







### GAS POWER BURNER COOK TOP HO-6-6S-3GW / HO-6-77S-4GW / HO-6-9S-4GW

600mm, 770mm, 900mm Gas Hob

YEAR Warranty

H HC HO

	HO-1-6S-3GW	HO-6-77S-4GW
	HO-1-6W-3GW	HO-6-9S-4GW
POWER SETTINGS:		
HEAT INDICATORS:		
ELECTRICAL OUTLET REQUIRED:	10 amp	10 amp
EASY CLEAN SURFACE:	~	~
AUTOMATIC IGNITION:	~	~
FLAME FAILURE SAFETY:	~	$\checkmark$
CAN BE JETTED FOR LPG OR NATURAL GAS:	~	$\checkmark$
POWERFUL 5.1KW WOK BURNER:		~
LOW PROFILE DESIGN:		~



### Gas Cooktops

All gas cooktops are supplied jetted for natual gas. LPG conversion kits are supplied with all gas appliances.





# Cooktops

### Gas






GAS LOW PROFILE COOK TOP HO-2-6S-4G / HO-2-9S-4GW

600mm, 900mm Gas Hob





GAS BLACK GLASS COOK TOP HO-7-6G-3GW / HO-7-9G-4GW

600mm, 900mm Gas Hob



	HO-2-6S-4G	HO-7-6G-3GW*
	HO-2-9S-4GW*	HO-7-9G-4GW*
POWER SETTINGS:		
HEAT INDICATORS:		
ELECTRICAL OUTLET REQUIRED:	10 amp	10 amp
EASY CLEAN SURFACE:	~	✓
AUTOMATIC IGNITION:	~	✓
FLAME FAILURE SAFETY:	~	✓
CAN BE JETTED FOR LPG OR NATURAL GAS:	~	<b>v</b>
WOK ADAPTOR SUPPLIED*:	~	<b>v</b>
LOW PROFILE DESIGN:	~	<b>v</b>

## Cooktops Ceramic



**CERAMIC COOK TOP** HX-1-6S-CER / HX-1-6NF-CER 600mm

Ceramic Hob








CERAMIC TOUCH COOK TOP HX-2-2NF-CER-T / HX-2-6S-CER-T / HX-2-6NF-CER-T / HX-2-75NF-CER-T / HX-2-9NF-CER-T

300mm, 600mm, 750mm, 900mm Ceramic Hob



\*\*\*\* \*\*\* POWER SETTINGS: CONTROL TYPE: Knob ELECTRICAL OUTLET REQUIRED: 25 amp HEAT INDICATORS: V EXCESSIVE HEAT PROTECTION: ~ EASY CLEAN SURFACE: ~ CHILD LOCK: TIMER FUNCTION: BOOST FUNCTION:



	HX-2-2NF-CER-T
	HX-2-6NF-CER-T / HX-2-6S-CER-T
	HX-2-75NF-CER-T
ER	HX-2-9NF-CER-T
**	****
	Touch
	15 amp / 25 amp / 32 amp / 32 amp
	<b>v</b>
	<b>v</b>
	<b>v</b>
	V
	V

# Cooktops

## Induction



### INDUCTION COOK TOP HX-2-2NF-INDUCT

300mm Induction



### Induction Cooktops

Induction cooking works by using magnetic energy to heat the pot or pan. Put simply, the pot becomes the element. Induction cooking provides instant heat, precise heat control and very efficient energy consumption.

The latest technology of zoneless induction cooking allows you to place pots of various sizes anywhere within the zones and the cooktop will automatically recognise the pot.



INDUCTION COOK TOP HX-2-6NF-INDUCT 600mm

Induction





INDUCTION ZONELESS COOK TOP HX-2-6NF-ZLIND

600mm Zoneless Induction





INDUCTION 5 ZONE COOK TOP HX-2-9NF-INDUCT

900mm Induction




\*\*\*\* \*\*\*\* \*\*\*\* \*\*\*\* \*\*\*\* \*\*\*\* POWER SETTINGS: CONTROL TYPE: Touch Touch Touch 15 amp ELECTRICAL OUTLET REQUIRED: 25 amp 32 amp HEAT INDICATORS: V V ~ EXCESSIVE HEAT PROTECTION: ~ ~ ~ EASY CLEAN SURFACE: ~ ~ ~ ~ CHILD LOCK: V ~ TIMER FUNCTION: ~ ~ 1 ∕\* BOOST FUNCTION\*:




# Cooktops specifications

### GAS


300mm Stainless Steel 2 Gas Burner Domino Hob HO-1-2S-2G




600mm Stainless Steel/White 3 Gas & 1 Wok Burner Hob HO-1-6S-3GW / HO-1-6W-3GW









900mm Stainless Steel Low Profile 4 Gas & 1 Wok Burner Hob HO-2-9S-4GW



600mm Stainless Steel 3 Gas & 1 Wok Burner Hob HO-6-6S-3GW




600mm Black Glass 3 Gas & 1 Wok Burner Hob HO-7-6G-3GW



Parmco

770mm Stainless Steel 4 Gas & 1 Wok Burner Hob HO-6-77S-4GW






HO-6-9S-4GW

900mm Stainless Steel

4 Gas & 1 Wok Burner Hob





900mm Black Glass 4 Gas & 1 Wok Burner Hob HO-7-9G-4GW




CERAMIC

Ceramic Domino Hob with Touch Controls HX-2-2NF-CER-T








HX-2-75NF-CER-T

600mm Frameless Ceramic Hob with Touch Controls HX-2-6NF-CER-T




### INDUCTION


300mm Frameless Induction Hob with Touch Controls HX-2-2NF-INDUCT

600mm Frameless Induction Hob with Touch Controls. \*Zoneless Version HX-2-6NF-INDUCT HX-2-6NF-ZLIND\*










### 750mm Frameless Ceramic Hob with Touch Controls

with Touch Controls HX-2-9NF-CER-T



900mm Frameless Induction Hob with Touch Controls HX-2-9NF-INDUCT



