Vent A cleaner, safer home environment

Creating the healthiest kitchen setting for Kiwis is our focus. Parmco's high performance, quiet and stylish ventilation options allow you to entertain family and friends in a cleaner atmosphere. From canopies, to rangehoods, to concealed power paks and riser units, trust Parmco to deliver healthier solutions for your kitchen.



Canopies

1000

140.00

n~

GLASS CURVED CANOPY

T4-11GLA-9L

1000m3/hour

900mm

ZYEAR

Glass



GLASS CURVED CANOPY T4-11GLA-6L

600mm 1000m3/hour



Halogen or LED Lights?

The sleek control panels are easy to use and offer a selection of fan speeds that easily remove steam and cooking smells. Operated by a separate control button, the halogen or LED lights provide illumination over the entire cooking surface.



Box

Fully Removable Aluminium Filters

What are Aluminium Filters? The aluminium filters effectively catch grease and are designed to be easily




SLIMLINE DIGIMAX BOX CANOPY RLCD-6G-1000L

600mm 1000m3/hour



RPER-9G-1000

	T4-11GLA-6L	T4-11GLA-9L	
SPEED SETTINGS:	***	* * *	
NOISE:	63dB	63dB	
CANOPY STYLE:	Curved glass	Curved glass	
REMOTE MOTOR COMPATIBLE:	v	~	
REMOVABLE GREASE FILTERS:	v	~	
LED LIGHTS:	v	~	
CAN BE RECIRCULATED:	v	~	
EXTENDABLE CHIMNEY:	v	~	
150MM DUCTING:	v	~	
DIGITAL DISPLAY:			
TOUCH CONTROLS:			
TIMER:			





RLCD-9G-1000L

63dB	63dB
LCD Low profile box	LCD Low profile box
 	~
✓	 ✓
✓	~
 	~
✓	 ✓
✓	~
v	 ✓



RLCD-6G-1000L

900mm

SLIMLINE DIGIMAX BOX CANOPY RLCD-9G-1000L





RPER-9G-1000 900mm 1000m3/hour

PERIPHERAL BOX CANOPY



Canopies

Box



BOX CANOPY RBOX-6S-1000L 600mm 1000m3/hour





BOX CANOPY RBOX-9S-1000L 900mm 1000m3/hour



	RBOX-6S-1000L	RBOX-9S-1000L	
SPEED SETTINGS:	***	***	
NOISE:	63dB	63dB	
CANOPY STYLE:	Box	Box	
REMOTE MOTOR COMPATIBLE:	 ✓ 	v	
REMOVABLE GREASE FILTERS:	 ✓ 	v	
LED LIGHTS:	 ✓ 	v	
CAN BE RECIRCULATED:	 ✓ 	v	
EXTENDABLE CHIMNEY:			
150MM DUCTING:	 ✓ 	v	
DIGITAL DISPLAY:			
TOUCH CONTROLS:			
TIMER:			





LOW PROFILE BOX CANOPY T4-12LOW-6L

600mm 1000m3/hour

ZYEAR

	T4-12LOW-9IS-1	T4-12LOW-6L	T4-12LOW-9L
SPEED SETTINGS:	***	***	* * *
NOISE:	62dB	63dB	63dB
CANOPY STYLE:	Island mounted Low profile box	Low profile box	Low profile box
REMOTE MOTOR COMPATIBLE:		✓	✓
REMOVABLE GREASE FILTERS:	~	✓	✓
LED LIGHTS:	~	✓	✓
CAN BE RECIRCULATED:		✓	✓
EXTENDABLE CHIMNEY:		✓	✓
150MM DUCTING:	~	✓	✓
DIGITAL DISPLAY:			
TOUCH CONTROLS:			
TIMER:			

ISLAND CANOPY T4-12LOW-9IS-1

900mm 1000m3/hour





LOW PROFILE BOX CANOPY T4-12LOW-9L

900mm 1000m3/hour



Canopies Pyramid



STYLELINE 600 CANOPY RC6W550

600mm 550m3/hour





STYLELINE 500 CANOPY RCAN-9S-500L

12.16

900mm 500m3/hour









LIFESTYLE 1000 CANOPY RCAN-6S-1000L RCAN-6W-1000L

600mm 1000m3/hour



RCAN-6S / W-1000L

	110/111 00/
SPEED SETTINGS:	**:
NOISE:	630
CANOPY STYLE:	Pyrar
REMOTE MOTOR COMPATIBLE:	 ✓
REMOVABLE GREASE FILTERS:	 ✓
LED LIGHTS:	 ✓
CAN BE RECIRCULATED:	 ✓
EXTENDABLE CHIMNEY:	🖌 (stainless
150MM DUCTING:	 ✓
DIGITAL DISPLAY:	
TOUCH CONTROLS:	
TIMER:	







900mm

RCAN-9S-1000L

RCAN-9W-1000L







Canopy specifications

GLASS CANOPIES

600mm Curved Glass Canopy **T4-11GLA-6L**




900mm Curved Glass Canopy **T4-11GLA-9L**




BOX CANOPIES

900mm Stainless Steel Peripheral Box Canopy **RPER-9G-1000**




600mm Stainless Steel Digimax LCD Box Canopy **RLCD-6G-1000L**


900mm Stainless Steel Digimax LCD Box Canopy **RLCD-9G-1000L**




900mm Stainless Steel Box Canopy **RBOX-9S-1000L**



900mm Stainless Steel Island Canopy **T4-12LOW-9IS-1**




600mm Stainless Steel Slimline Box Canopy **T4-12LOW-6L**




PYRAMID CANOPIES

600mm Stainless Steel / White / Black Pyramid Canopy (500 & 1000) RCAN-6S-500L / RCAN-6W-500L RCAN-6S-1000L / RCAN-6W-1000L / URCAN-6B-1000L




T8C-RCAN (extendable cover stainless steel only)


600mm Stainless Steel Pyramid Canopy **RC6W550**



600mm Stainless Steel Box Canopy **RBOX-6S-1000L**








900mm Stainless Steel

900mm Stainless Steel / White / Black Pyramid Canopy (500 & 1000) RCAN-9S-500L / RCAN-9W-1000L RCAN-9S-1000L / URCAN-9B-1000L



T8C-RCAN (extendable cover stainless steel only)

Rangehoods

Inbuilt



GLASS FRONT CAPRICE RANGEHOOD T5C-6S-350 / T5C-6W-350

600mm 350m3/hour





INTEGRATED TURBO PAK PLUS RANGEHOOD T7-6S-4 / T7-9S-4

520mm / 746mm 1000m3/hour



	T5C-6S-350 / T5C-6W-350	T7-6S-4 / T7-9S-4
SPEED SETTINGS:	* * *	***
NOISE:	68dB	63dB
RANGEHOOD STYLE:		Integrated
DUCTING:	120mm	150mm
CAN BE RECIRCULATED:	v	v
REMOTE MOTOR COMPATIBLE:		v
FULL WIDTH REMOVABLE GREASE FILTERS:	v	v
LIGHTS:	Incandescent	LED
VENTED:	Top or rear	Тор

Rangehoods Tilt-Front



TILTA FRONT RANGEHOOD T1-6-3L 600mm 450m3/hour



Telescopic







T2-6HAL

600mm



	T1-6-3L	T2-6HAL	T2-6-1L / T2-9-1L
SPEED SETTINGS:	* * *	* * *	* * *
NOISE:	58dB	60dB	60dB
RANGEHOOD STYLE:	Tilt front	Pull out under cupboard mounted	Pull out under cupboard mounted
DUCTING:	150mm	150mm	125mm
CAN BE RECIRCULATED:	~	~	v
REMOTE MOTOR COMPATIBLE:			
FULL WIDTH REMOVABLE GREASE FILTERS:	✓	v	v
LED LIGHTS:	LED	~	~




TELESCOPIC MILANO RANGEHOOD T2-6-1L / T2-9-1L 600mm / 900mm 440m3/hour



Rangehoods specifications


TILT

600mm Tilta Front Rangehood T1-6-3L




INBUILT

600mm Glass Front Rangehood T5C-6S-350 / T5C-6W-350




520mm Integrated Turbo Pak Plus Rangehood T7-6S-4

746mm Integrated Turbo Pak Plus Rangehood T7-9S-4




TELESCOPIC MILANO

600mm Telescopic Rangehood T2-6HAL



600mm Telescopic Rangehood T2-6-1L





Ducting

CANOPY & RANGEHOOD OPTIONS

Recirculating options:

TPC T7-6TWIN, T5-6


TPC-AT 110 (LED models)

T2-6HAL, T2-6-1L, T2-9-1L, RBOX, RCAN, T4-11GLA-6L, T4-11GLA-9L, T4-12LOW-6L, T4-12LOW-9L, T7-6S-4, T7-9S-4, RLCD, RLOW

TPC-AT 152 R6-501-1, DD-700IB-IND

PARMCO DUCTING PACKS

EXPOSED REAR VENT KIT:



	DPAKW150-1	
AVAILABLE SIZES:	150mm	
COMPONENTS:	Semi rigid 1m	
	aluminium	
	Outlet with vanes	

TPC-AT 160 (Halogen models)

RBOX, RCAN, T4-12LOW, T4-11GLA, T4-11GLA-6, T2-6HA, RTEL, RLOW, RLCD, T7-6S-3, T7-9S-3

TPC-CB

T5C-6S-350, T5C-6W-350

TPC-CB02

T1-6-3L

Parmco Ducting Packs provide you with the convenience of being able to buy your ducting requirements out of the one standardised pack, taking the stress out of the ducting process.

Downdrafts



600MM DOWN DRAFT **REAR RISER UNIT** DD-600RR-G / DD-900RR-G



600mm/900mm 1000m3/hour

	DD-600RR-G / DD-900RR-G	
SIZE:	600mm / 900mm	
TYPE OF DOWNDRAFT:	Rear-riser downdraft	
SPEED SETTINGS:	****	
TOUCH CONTROL:	v	
REMOVABLE ALUMINIUM FILTER:	v	
DURABLE STAINLESS STEEL:	v	
AVAILABLE WITHOUT COOKTOP INT	EGRATION: 🖌	
REMOTE MOTOR KIT SUPPLIED:	v	
INTEGRATED LED LIGHTS:	v	

700MM INDUCTION HOB WITH BUILT-IN DOWNDRAFT DD-700IB-IND

700mm 504m3/hour



	DD-700IB-IND
SIZE:	700mm
TYPE OF DOWNDRAFT:	Built-in downdraft
NOISE:	69db
SPEED SETTINGS:	***
REMOVABLE ALUMINIUM FILTER:	~
TIMER:	~
TOUCH CONTROL:	\checkmark
CHILD LOCK:	~
REMOTE MOTOR KIT SUPPLIED:	~
CARBON FILTER AVAILABLE:	v



Rear-riser glass top

The rear-riser downdraft is a clever

solution to address ventilation

With this stylish line of rear-riser

downdrafts, featuring black glass

panel and touch control, you can enjoy the benefits of the perfect

For example you can design your kitchen so that the cooktop is positioned in front of a window or even on an island bench. The rear-riser glides gently into position to quickly remove all

space challenges, enabling

kitchen design versatility.

kitchen: no more clutter

odours and steam.


Downdrafts specifications

REAR RISER GLASS TOP AND INDUCTION HOB **BUILT-IN DOWNDRAFT**


Please refer to the installation manual for cutout guides.

Note: This unit is supplied with a remote motor kit which allows the fan motor to be placed up to 4.5 metres away from the downdraft. Ducting not supplied with unit.

600mm REAR RISER DD-600RR-G



700mm INDUCTION HOB WITH **BUILT-IN DOWNDRAFT** DD-700IB-IND



900mm REAR RISER DD-900RR-G

