

Vent

A cleaner, safer home environment

Creating the healthiest kitchen setting for Kiwis is our focus. Parmco's high performance, quiet and stylish ventilation options allow you to entertain family and friends in a cleaner atmosphere. From canopies, to rangehoods, to concealed power paks and riser units, trust Parmco to deliver healthier solutions for your kitchen.





Canopies

Glass



GLASS CURVED CANOPY
T4-11GLA-6L

1000M3/hour
600MM





600MM
CURVED
GLASS CANOPY
T4-11GLA-6L



GLASS CURVED CANOPY
T4-11GLA-9L

1000M3/hour
900MM



900MM
CURVED
GLASS CANOPY
T4-11GLA-9L

	T4-11GLA-6L	T4-11GLA-9L
SPEED SETTINGS:	***	***
NOISE:	63dB	63dB
CANOPY STYLE:	Curved glass	Curved glass
REMOTE MOTOR COMPATIBLE:	✓	✓
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	✓
EXTENDABLE CHIMNEY:	✓	✓
150MM DUCTING:	✓	✓
DIGITAL DISPLAY:		
TOUCH CONTROLS:		
TIMER:		


Canopies

Box



SLIMLINE DIGIMAX BOX CANOPY
RLCD-6G-1000L

1000M3/hour
600MM




600MM
STAINLESS STEEL
DIGIMAX LCD
BOX CANOPY
RLCD-6G-1000L



SLIMLINE DIGIMAX BOX CANOPY
RLCD-9G-1000L

1000M3/hour
900MM



900MM
STAINLESS STEEL
DIGIMAX LCD
BOX CANOPY
RLCD-9G-1000L

	RLCD-6G-1000L	RLCD-9G-1000L
SPEED SETTINGS:	***	***
NOISE:	63dB	63dB
CANOPY STYLE:	LCD Low profile box	LCD Low profile box
REMOTE MOTOR COMPATIBLE:		
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	✓
EXTENDABLE CHIMNEY:		
150MM DUCTING:	✓	✓
DIGITAL DISPLAY:	✓	✓
TOUCH CONTROLS:	✓	✓
TIMER:	✓	✓


Canopies

Box



BOX CANOPY
RBOX-6S-1000L

1000M3/hour
600MM




600MM
STAINLESS STEEL
BOX CANOPY
RBOX-6S-1000L



PERIPHERAL BOX CANOPY
RPER-9G-1000

1000M3/hour
900MM




900MM
STAINLESS STEEL
PERIPHERAL BOX CANOPY
RPER-9G-1000




LOW PROFILE BOX CANOPY
T4-12LOW-6L

1000M3/hour
600MM




600MM
STAINLESS STEEL
SLIMLINE BOX CANOPY
T4-12LOW-6L




LOW PROFILE BOX CANOPY
T4-12LOW-9L

1000M3/hour
900MM



900MM
STAINLESS STEEL
SLIMLINE BOX CANOPY
T4-12LOW-9L



ISLAND CANOPY
T4-12LOW-9IS-1

1000M3/hour
900MM



900MM
STAINLESS STEEL
ISLAND CANOPY
T4-12LOW-9IS-1

	RBOX-6S-1000L	RPER-9G-1000
SPEED SETTINGS:	***	***
NOISE:	63dB	60dB
CANOPY STYLE:	Box	Peripheral
REMOTE MOTOR COMPATIBLE:	✓	
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	
EXTENDABLE CHIMNEY:		
150MM DUCTING:	✓	✓
DIGITAL DISPLAY:		
TOUCH CONTROLS:		✓
TIMER:		✓

	T4-12LOW-6L	T4-12LOW-9L	T4-12LOW-9IS-1
SPEED SETTINGS:	***	***	***
NOISE:	63dB	63dB	62dB
CANOPY STYLE:	Low profile box	Low profile box	Island mounted Low profile box
REMOTE MOTOR COMPATIBLE:	✓	✓	
REMOVABLE GREASE FILTERS:	✓	✓	✓
LED LIGHTS:	✓	✓	✓
CAN BE RECIRCULATED:	✓	✓	
EXTENDABLE CHIMNEY:	✓	✓	✓
150MM DUCTING:	✓	✓	✓
DIGITAL DISPLAY:			
TOUCH CONTROLS:			
TIMER:			


Canopies

Pyramid



STYLELINE 550 CANOPY
RC6W550

550M3/hour
600MM




550MM
WHITE
PYRAMID CANOPY
RC6W550



STYLELINE 500 CANOPY
RCAN-6S-500L / RCAN-6W-500L

500M3/hour
600MM




600MM
STAINLESS STEEL / WHITE
PYRAMID CANOPY
RCAN-6S-500L / RCAN-6W-500L



STYLELINE 500 CANOPY
RCAN-9S-500L

500M3/hour
900MM




900MM
STAINLESS STEEL
PYRAMID CANOPY
RCAN-9S-500L



LIFESTYLE 1000 CANOPY
RCAN-9S-1000L

1000M3/hour
900MM



900MM
STAINLESS STEEL
PYRAMID CANOPY
RCAN-9S-1000L

	RC6W550	RCAN-6S / W-500L
SPEED SETTINGS:	***	***
NOISE:	67dB	48dB
CANOPY STYLE:	Pyramid	Pyramid
REMOTE MOTOR COMPATIBLE:		✓
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	✓
EXTENDABLE CHIMNEY:		✓ (stainless steel only)
150MM DUCTING:	✓	✓
DIGITAL DISPLAY		
TOUCH CONTROLS:		
TIMER:		

	RCAN-9S-500L	RCAN-9S-1000L
SPEED SETTINGS:	***	***
NOISE:	67dB	63dB
CANOPY STYLE:	Pyramid	Pyramid
REMOTE MOTOR COMPATIBLE:		✓
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	✓
EXTENDABLE CHIMNEY:	✓	✓
150MM DUCTING:	✓	✓
DIGITAL DISPLAY		
TOUCH CONTROLS:		
TIMER:		


Canopies

Pyramid




LIFESTYLE 1000 CANOPY
RCAN-6S-1000L / RCAN-6W-1000L

1000M3/hour
600MM



UNBRANDED LIFESTYLE 1000 CANOPY
URCAN-6B / 9B-1000L

1000M3/hour
600MM / 900MM



Halogen or LED Lights?

The sleek control panels are easy to use and offer a selection of fan speeds that easily remove steam and cooking smells. Operated by a separate control button, the halogen or LED lights provide illumination over the entire cooking surface.

	RCAN-6S / W-1000L	URCAN-6B / 9B-1000L
SPEED SETTINGS:	***	***
NOISE:	63dB	63dB
CANOPY STYLE:	Pyramid	Pyramid
REMOTE MOTOR COMPATIBLE:	✓	
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	✓
EXTENDABLE CHIMNEY:	✓ (Stainless Steel only)	
150MM DUCTING:	✓	✓
DIGITAL DISPLAY:		
TOUCH CONTROLS:		
TIMER:		


Rangehoods

Inbuilt




GLASS FRONT CAPRICE
RANGEHOOD
T5C-6S-350 / T5C-6W-350

350M3/hour
600MM



INTEGRATED TURBO PAK PLUS
RANGEHOOD
T7-6S-4 / T7-9S-4

1000M3/hour
520MM / 746MM




Rangehoods

Tilt Front



TILTA FRONT
RANGEHOOD
T1-6-3L

450M3/hour
600MM



What are Aluminium Filters?

The aluminium filters effectively catch grease and are designed to be easily removed and easily cleaned.

Fully Removable Aluminium Filters

	T5C-6S-350 / T5C-6W-350	T7-6S-4 / T7-9S-4
SPEED SETTINGS:	***	***
NOISE:	68dB	63dB
RANGEHOOD STYLE:		Integrated
DUCTING:	120mm	150mm
CAN BE RECIRCULATED:	✓	✓
REMOTE MOTOR COMPATIBLE:		✓
FULL WIDTH REMOVABLE GREASE FILTERS:	✓	✓
LIGHTS:	Incandescent	LED
VENTED:	Top or rear	Top

	T1-6-3L
SPEED SETTINGS:	***
NOISE:	58dB
RANGEHOOD STYLE:	Tilt front
DUCTING:	150mm
CAN BE RECIRCULATED:	✓
REMOTE MOTOR COMPATIBLE:	
FULL WIDTH REMOVABLE GREASE FILTERS:	✓
LED LIGHTS:	LED


Rangehoods

Telescopic



TELESCOPIC MILANO
RANGEHOOD
T2-6HAL

700M3/hour
600MM




600MM
TELESCOPIC
RANGEHOOD
T2-6HAL



TELESCOPIC MILANO
RANGEHOOD
T2-6-1L / T2-9-1L

440M3/hour
600MM / 900MM



600MM
TELESCOPIC
RANGEHOOD
T2-6-1L

900MM
TELESCOPIC
RANGEHOOD
T2-9-1L

	T2-6HAL	T2-6-1L / T2-9-1L
SPEED SETTINGS:	***	***
NOISE:	60dB	60dB
RANGEHOOD STYLE:	Pull out under cupboard mounted	Pull out under cupboard mounted
DUCTING:	150mm	125mm
CAN BE RECIRCULATED:	✓	✓
REMOTE MOTOR COMPATIBLE:		
FULL WIDTH REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓



Ducting

Inbuilt

PARMCO DUCTING PACKS

54

EXPOSED REAR VENT KIT



EXPOSED REAR VENT KIT
DPAKW150-1

	DPAKW150-1
AVAILABLE SIZES:	150mm
COMPONENTS:	Semi rigid 1m aluminium
	Outlet with vanes

Parmco Ducting Packs provide you with the convenience of being able to buy your ducting requirements out of the one standardised pack, taking the stress out of the ducting process.

CANOPY & RANGEHOOD OPTIONS

RECIRCULATING OPTIONS:

TPC
T7-6TWIN, T5-6

TPC-AT 110 (LED models)
T2-6HAL, T2-6-1L, T2-9-1L, RBOX, RCAN, T4-11GLA-6L, T4-11GLA-9L, T4-12LOW-6L, T4-12LOW-9L, T7-6S-4, T7-9S-4, RLCD, RLOW

TPC-AT 152
R6-501-1, DD-700IB-IND

TPC-AT 160 (Halogen models)
RBOX, RCAN, T4-12LOW, T4-11GLA, T4-11GLA-6, T2-6HA, RTEL, RLOW, RLCD, T7-6S-3, T7-9S-3

TPC-CB
T5C-6S-350, T5C-6W-350

TPC-CB02
T1-6-3L

TPC-XB
RC6W550




Downdrafts



600MM / 900MM DOWN DRAFT REAR RISER UNIT DD-600RR-G / DD-900RR-G

1000M3/hour
600MM / 900MM




Please refer to the installation manual for cutout guides.

Note: This unit is supplied with a remote motor kit which allows the fan motor to be placed up to 4.5 metres away from the downdraft. Ducting not supplied with unit.



800MM INDUCTION HOB WITH BUILT-IN DOWNDRAFT DDC800BI

600M3/hour
800MM



Please refer to the installation manual for cutout guides.

Rear-riser glass top

The rear-riser downdraft is a clever solution to address ventilation space challenges, enabling kitchen design versatility.

With this stylish line of rear-riser downdrafts, featuring black glass panel and touch control, you can enjoy the benefits of the perfect kitchen: no more clutter or obstructed kitchen views.

For example you can design your kitchen so that the cooktop is positioned in front of a window or even on an island bench. The rear-riser glides gently into position to quickly remove all odours and steam.

	DD-600RR-G / DD-900RR-G 600mm / 900mm	DDC800BI 800mm
SIZE:	Rear-riser downdraft	Built-in downdraft
TYPE OF DOWNDRAFT:		
NOISE:		72db
SPEED SETTINGS:	***	***
REMOVABLE ALUMINIUM FILTER:	✓	✓
TIMER:		✓
TOUCH CONTROL:	✓	✓
CHILD LOCK:		✓
CARBON FILTER AVAILABLE:		
DURABLE STAINLESS STEEL:	✓	
AVAILABLE WITHOUT COOKTOP INTEGRATION:	✓	
REMOTE MOTOR KIT SUPPLIED:	✓	
INTEGRATED LED LIGHTS:	✓	