

Cook

Smarter, stylish solutions

Life is busy and time in demand.

With family and friends to take care of, it goes without saying you need the help of reliable kitchen appliances.

Kiwis turn to Parmco for efficient and stylish cooking solutions that provide greater control and flexibility. Our entire range of Parmco cooktops, ovens and free-standing stoves combine superb design, optimal energy efficiency and are backed with industry leading warranties.

Trust Parmco to cook in your kitchen.



Freestanding stoves


Country Style Cookers

Our Country Style classic cookers are made in Europe and designed to provide a country style finish to your kiwi kitchen.



**COMBINATION 900
FREESTANDING STOVE
CS 900G-BLK**

30L/66L/66L
900MM
Electric



	CS 900G-BLK
FUNCTIONS:	***** *
COOK TOP:	Gas
CAN BE JETTED FOR LPG OR NATURAL GAS:	✓
ELECTRICAL OUTLET REQUIRED:	17 amp
UTILITY DRAWER:	
FLAME FAILURE SAFETY:	✓
DIGITAL TIMER:	✓
TWIN FANS FOR FAST HEAT UP:	
CATALYTIC SELF-CLEANING PANELS:	MAIN OVEN ONLY

Freestanding stoves

Gas Cookers




**GAS 600
FREESTANDING STOVE
FS 600-GAS GAS**

70L
600MM
Gas Oven



**GAS 900
FREESTANDING STOVE
AR 900-GAS GAS-1**

107L
900MM
Gas Oven



Cool Touch Door Technology

Fully ventilated doors, triple glazed glass and advanced cooling combines to produce "cool touch door technology". Through this clever combination of design and functionality, the technology of Parmco's oven doors produces low door temperatures, making it safe for those little fingers.



	FS 600-GAS GAS ****	AR 900-GAS GAS-1 ****
FUNCTIONS:	****	****
COOK TOP:	Gas burner	Gas burner
CAN BE JETTED FOR LPG OR NATURAL GAS:	✓	✓
ELECTRICAL OUTLET REQUIRED:	10 amp	10 amp
COOL TOUCH DOOR TECHNOLOGY:	✓	✓
UTILITY DRAWER:		✓
FLAME FAILURE SAFETY:	✓	✓
DIGITAL TIMER:		
TWIN FANS FOR FAST HEAT UP:		
CATALYTIC SELF-CLEANING PANELS:	✓	✓


Freestanding stoves

Ceramic




**CERAMIC TOP 600
FREESTANDING STOVE
FS600BC**

76L
600MM
Electric




**CERAMIC TOP 600
FREESTANDING STOVE
FS600SC**

76L
600MM
Electric




**INDUCTION TOP 600
FREESTANDING STOVE
FS600SI**

76L
600MM
Electric



**CERAMIC TOP 900
FREESTANDING STOVE
FS900SC**

123L
900MM
Electric



FUNCTIONS:

	FS600SC ***** **	FS600BC ***** **	FS600SI ***** **
COOK TOP:	Ceramic	Ceramic	Induction
CAN BE JETTED FOR LPG OR NATURAL GAS:			
ELECTRICAL OUTLET REQUIRED:	32 amp	32 amp	32 amp
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
UTILITY DRAWER:	✓	✓	✓
FLAME FAILURE SAFETY:			
DIGITAL TIMER:	✓	✓	✓
TWIN FANS FOR FAST HEAT UP:			
CATALYTIC SELF-CLEANING PANELS:	✓	✓	✓

FUNCTIONS:

	FS900SC ***** **
COOK TOP:	Ceramic
CAN BE JETTED FOR LPG OR NATURAL GAS:	
ELECTRICAL OUTLET REQUIRED:	50 amp
COOL TOUCH DOOR TECHNOLOGY:	✓
UTILITY DRAWER:	✓
FLAME FAILURE SAFETY:	
DIGITAL TIMER:	✓
TWIN FANS FOR FAST HEAT UP:	✓
CATALYTIC SELF-CLEANING PANELS:	✓




Freestanding stoves

Combination




**COMBINATION 600
FREESTANDING STOVE
FS600BG**

76L
600MM
Electric




**COMBINATION 600
FREESTANDING STOVE
FS600SG**

76L
600MM
Electric




**COMBINATION 900
FREESTANDING STOVE
FS900SG**

123L
900MM
Electric




**COMBINATION 900 FREESTANDING
STOVE ONE AND A HALF OVEN
FS9S-5-3**

70L / 36L
900MM
Electric



**COMBINATION OBSIDIAN 900
FREESTANDING STOVE
FS900BG**

123L
900MM
Electric



	FS600BG	FS600SG	FS900SG
FUNCTIONS:	***** ***	***** ***	***** ***
COOK TOP:	Gas burner	Gas burner	Gas burner
CAN BE JETTED FOR LPG OR NATURAL GAS:	✓	✓	✓
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
UTILITY DRAWER:	✓	✓	✓
FLAME FAILURE SAFETY:	✓	✓	✓
DIGITAL TIMER:	✓	✓	✓
TWIN FANS FOR FAST HEAT UP:	✓	✓	✓
CATALYTIC SELF-CLEANING PANELS:	✓	✓	✓

	FS9S-5-3	FS900BG
FUNCTIONS:	***** ***/*****	***** ***
COOK TOP:	Gas burner	Gas burner
CAN BE JETTED FOR LPG OR NATURAL GAS:	✓	✓
ELECTRICAL OUTLET REQUIRED:	20 amp	15 amp
COOL TOUCH DOOR TECHNOLOGY:	✓	✓
UTILITY DRAWER:	✓	✓
FLAME FAILURE SAFETY:	✓	✓
DIGITAL TIMER:	✓	✓
TWIN FANS FOR FAST HEAT UP:	✓	✓
CATALYTIC SELF-CLEANING PANELS:	MAIN OVEN ONLY	✓



Freestanding stoves

540mm / 600mm Electric



**ELECTRIC 600
FREESTANDING STOVE
FS60WP4**



60L
600MM
Electric




**ELECTRIC 540
FREESTANDING STOVE
FS54R**



70L/20L Oven/Grill
540MM
Electric




**ELECTRIC 600
FREESTANDING STOVE
FS60WR4 / FS60WR8**

76L Oven
600MM
Electric



Freestanding stoves

540mm / 600mm Ceramic



**CERAMIC 540
FREESTANDING STOVE
FS54CER**

70L/20L Oven/Grill
540MM
Electric









**CERAMIC 600
FREESTANDING STOVE
FS60WC8**

76L Oven
600MM
Electric



	FS60WP4 ****	FS54R *****	FS60WR4 / FS60WR8 **** / ***** **
FUNCTIONS:			
COOK TOP:	Electric (Solid Plate)	Electric (radiant coil elements)	Electric (radiant coil elements)
ELECTRICAL OUTLET REQUIRED:	40 amp	32 amp	40 amp
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
GRILL COMPARTMENT:		✓	
UTILITY DRAWER:	✓		✓
DIGITAL TIMER:			✓
INTEGRATED SIDE PLUG:		✓ (RHS only)	✓ (both sides)
ADJUSTABLE FEET:			✓

	FS54CER *****	FS60WC8 ***** **
FUNCTIONS:		
COOK TOP:	Ceramic	Ceramic
ELECTRICAL OUTLET REQUIRED:	32 amp	40 amp
COOL TOUCH DOOR TECHNOLOGY:	✓	✓
GRILL COMPARTMENT:	✓	
UTILITY DRAWER:		✓
DIGITAL TIMER:		✓
INTEGRATED SIDE PLUG:	✓ (RHS only)	✓ (both Sides)
ADJUSTABLE FEET:		✓

Inbuilt Ovens


Gas

Parmco ovens offer precise cooking control with excellent multi-functions, including fan forced, grilling and even catalytic self clean panels on selected models. And more importantly, all Parmco ovens have an A class energy efficiency.



**GAS INBUILT OVEN
OV-1-6S-GAS**

56L
600MM
GAS (can be jetted for LPG/NG)



OV-1-6S-GAS

FUNCTIONS:	*****
ELECTRICAL OUTLET REQUIRED:	15 amp
TIMER:	Mechanical
FAN FORCED COOKING:	
COOL TOUCH DOOR TECHNOLOGY:	✓
TELESCOPIC RAILS:	
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	
CHILD LOCK:	
TOUCH CONTROLS:	
CATALYTIC SELF-CLEANING PANELS:	

What is European A-Level energy efficiency?

The European Energy Efficiency of the appliance is rated in terms of a set of energy efficiency classes from A to G, A being the most energy efficient, G the least efficient. This means that the appliance is using less energy to provide the same level of performance. All Parmco ovens have an A class energy efficiency. This is achieved by a new insulation system which ensures that the heat is kept in the oven. It also avoids overheating of the external surfaces, giving the ovens the extra benefit of having cool touch doors.




Inbuilt Ovens

Specialty




ELECTRIC TOUCH INBUILT OVEN
PPOV-9S-48

105L
900MM
Electric




SIDE DOOR (Reversible door option) INBUILT OVEN
PPOV-6S-SIDE-1

56L
600MM
Electric



ELECTRIC DOUBLE INBUILT OVEN
PPOV-6S-DT-4

35L/59L
600MM
Electric



	PPOV-9S-48	PPOV-6S-SIDE-1	PPOV-6S-DT-4
FUNCTIONS:	*****	*****	***** / *****
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	20 amp
TIMER:	Digital touch	Digital touch	Digital touch
FAN FORCED COOKING:	✓	✓	✓
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
TELESCOPIC RAILS			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	✓	✓	✓
CHILD LOCK:	✓	✓	✓
TOUCH CONTROLS:	✓	✓	✓
CATALYTIC SELF-CLEANING PANELS:	✓		MAIN OVEN ONLY



Inbuilt Ovens

Premium Electric

What is a Pyrolytic oven?

This is the oven you have to have in your kitchen. The PPOV-6S-PYRO-2 in stainless steel trim is 600mm wide and comes with digital touch control, quadglaze cool touch door and child safety lock.

The PPOV-6S-PYRO-2 has twelve cooking functions including the pyrolytic cleaning mode. When the pyrolytic function is selected the oven door locks and temperatures reach up to 430 degrees! All the grease and fats burn to a crisp for you to simply wipe the inside of the oven.


76L Capacity Ovens

With Parmco's new 60cm built-in ovens providing a huge 76L usable capacity, you can fit a family size roast or any other large dish. Bright lights combined with the large viewing window on the outer door, allow you to clearly see what's going on in the oven. Finished in stunning black glass with stainless steel edges, this range creates a classic yet modern array of designs to match your kitchen. Plus, with the touch control panel and easy to read display, you have all functions under your control.



ELECTRIC PYROLYTIC INBUILT OVEN
PPOV-6S-PYRO-2

76L
600MM
Electric




Inbuilt Ovens

Electric




ELECTRIC 5 SERIES INBUILT OVEN
OX-1-6S-5

58L
600MM
Electric



ELECTRIC 8 SERIES INBUILT OVEN
OX-1-6S-8

58L
600MM
Electric



	PPOV-6S-PYRO-2
FUNCTIONS:	***** **
ELECTRICAL OUTLET REQUIRED:	15 amp
TIMER:	Digital touch
FAN FORCED COOKING:	✓
COOL TOUCH DOOR TECHNOLOGY:	✓
TELESCOPIC RAILS:	
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	✓
CHILD LOCK:	✓
TOUCH CONTROLS:	✓
CATALYTIC SELF-CLEANING PANELS:	
PYROLYTIC FUNCTION:	✓

	OX-1-6S-5	OX-1-6S-8
FUNCTIONS:	*****	***** **
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp
TIMER:	Mechanical	Digital
FAN FORCED COOKING:	✓	✓
COOL TOUCH DOOR TECHNOLOGY:	✓	✓
TELESCOPIC RAILS:		
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	✓	✓
CHILD LOCK:		
TOUCH CONTROLS:		
CATALYTIC SELF-CLEANING PANELS:		
PYROLYTIC FUNCTION:		

Inbuilt Ovens

Electric - 5 Function



ELECTRIC 5 SERIES PUSH BUTTON INBUILT OVEN
OX7-2-6S-5-1

76L
600MM
Electric





ELECTRIC 5 SERIES INBUILT OVEN
OX7-3-6S-5-1

76L
600MM
Electric








ELECTRIC 5 SERIES PUSH BUTTON INBUILT OVEN
OX7-6-6S-5-1

76L
600MM
Electric









Inbuilt Ovens

Electric - 8 Function



ELECTRIC 8 SERIES PUSH BUTTON INBUILT OVEN
OX7-2-6S-8-1

76L
600MM
Electric





ELECTRIC 8 SERIES INBUILT OVEN
OX7-3-6S-8-1

76L
600MM
Electric








ELECTRIC 8 SERIES PUSH BUTTON INBUILT OVEN
OX7-6-6S-8-1

76L
600MM
Electric









	OX7-2-6S-5-1	OX7-3-6S-5-1	OX7-6-6S-5-1
FUNCTIONS:	*****	*****	*****
OVEN TYPE:	Electric	Electric	Electric
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
TIMER:	Mechanical	Mechanical	Mechanical
FAN FORCED COOKING:	✓	✓	✓
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
TELESCOPIC RAILS:			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	✓	✓	✓
CHILD LOCK:			
TOUCH CONTROLS:			
CATALYTIC SELF-CLEANING PANELS:			
PYROLYTIC FUNCTION:			

	OX7-2-6S-8-1	OX7-3-6S-8-1	OX7-6-6S-8-1
FUNCTIONS:	***** **	***** **	***** **
OVEN TYPE:	Electric	Electric	Electric
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
TIMER:	Digital touch	Digital touch	Digital touch
FAN FORCED COOKING:	✓	✓	✓
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
TELESCOPIC RAILS:			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	✓	✓	✓
CHILD LOCK:			
TOUCH CONTROLS:			
CATALYTIC SELF-CLEANING PANELS:	✓	✓	✓
PYROLYTIC FUNCTION:			


Inbuilt Ovens

Full Colour Glass




**ELECTRIC 5 SERIES
INBUILT OVEN
OX7-4-6W-5-1**

76L
600MM
Electric




**ELECTRIC 8 SERIES
INBUILT OVEN
OX7-4-6W-8-1**

76L
600MM
Electric



**ELECTRIC 8 SERIES
INBUILT OVEN
OX7-4-6B-8-1**


76L
600MM
Electric





	OX7-4-6W-5-1 *****	OX7-4-6W-8-1 ***** **	OX7-4-6B-8-1 ***** **
FUNCTIONS:			
OVEN TYPE:	Electric	Electric	Electric
ELECTRICAL OUTLET REQUIRED:	15 amp	15 amp	15 amp
TIMER:	Mechanical	Digital touch	Digital touch
FAN FORCED COOKING:	✓	✓	✓
COOL TOUCH DOOR TECHNOLOGY:	✓	✓	✓
TELESCOPIC RAILS:			
EUROPEAN A-LEVEL ENERGY EFFICIENCY:	✓	✓	✓
CHILD LOCK:			
TOUCH CONTROLS:			
CATALYTIC SELF-CLEANING PANELS:		✓	✓
PYROLYTIC FUNCTION:			

Installation requirements


OX & OV OVEN MODEL




**OX-1-6S-5
OX-1-6S-8**





OV-1-6S-GAS



PPOV & OX7 OVEN MODEL




PPOV-6S-PYRO-2




**OX7-2-6S-5-1 OX7-4-6W-5-1
OX7-2-6S-8-1 OX7-4-6W-8-1
OX7-3-6S-5-1 OX7-6-6S-5-1
OX7-3-6S-8-1 OX7-6-6S-8-1
OX7-4-6B-8-1**

PPOV OVEN MODEL



PPOV-9S-48

PPOV-6S-DT-4



Cooktops

Gas

Gas Cooktops

All gas cooktops are supplied jetted for natural gas. LPG conversion kits are supplied with all gas appliances.




GAS COOKTOP
HO-1-2S-2G / HO-1-6S-3GW / HO-1-6W-3GW

300MM, 600MM
Gas Hob



GAS COOKTOP
HO-6-6S-3GW / HO-6-77S-4GW / HO-6-9S-4GW

600MM, 770MM, 900MM
Gas Hob



ELECTRICAL OUTLET REQUIRED:

EASY CLEAN SURFACE:

AUTOMATIC IGNITION:

FLAME FAILURE SAFETY:

CAN BE JETTED FOR LPG OR NATURAL GAS:

LOW PROFILE DESIGN:

HO-1-2S-2G
HO-1-6S-3GW
HO-1-6W-3GW

10 amp

✓

✓

✓

✓

✓

HO-6-6S-3GW
HO-6-77S-4GW
HO-6-9S-4GW

10 amp

✓

✓

✓

✓

✓




Cooktops

Gas





GAS LOW PROFILE COOKTOP
HO-2-6S-4G / HO-2-9S-4GW

600MM, 900MM
Gas Hob




GAS BLACK GLASS COOKTOP
HO-7-6G-3GW / HO-7-9G-4GW

600MM, 900MM
Gas Hob





Cooktops

Ceramic






CERAMIC COOKTOP
HX-1-6S-CER / HX-1-6NF-CER

600MM
Ceramic Hob



CERAMIC TOUCH COOKTOP
HX-2-2NF-CER-T / HX-2-6S-CER-T / HX-2-6NF-CER-T

300MM, 600MM
Ceramic Hob



	HO-2-6S-4G HO-2-9S-4GW*	HO-7-6G-3GW HO-7-9G-4GW
ELECTRICAL OUTLET REQUIRED:	10 amp	10 amp
EASY CLEAN SURFACE:	✓	✓
AUTOMATIC IGNITION:	✓	✓
FLAME FAILURE SAFETY:	✓	✓
CAN BE JETTED FOR LPG OR NATURAL GAS:	✓	✓
WOK ADAPTOR SUPPLIED*:	✓	✓
LOW PROFILE DESIGN:	✓	✓

	HX-1-6S-CER HX-1-6NF-CER ***** **	HX-2-2NF-CER-T HX-2-6NF-CER-T / HX-2-6S-CER-T HX-2-75NF-CER-T / HX-2-9NF-CER-T ***** **
POWER SETTINGS:		
CONTROL TYPE:	Knob	Touch
ELECTRICAL OUTLET REQUIRED:	25 amp	15 amp / 25 amp / 32 amp / 32 amp
HEAT INDICATORS:	✓	✓
EXCESSIVE HEAT PROTECTION:	✓	✓
EASY CLEAN SURFACE:	✓	✓
CHILD LOCK:		✓
TIMER FUNCTION:		✓
BOOST FUNCTION:		✓


Cooktops

Ceramic 900




CERAMIC TOUCH COOKTOP
HX-2-75NF-CER-T / HX-2-9NF-CER-T

750MM, 900MM
Ceramic Hob




750MM
FRAMELESS WITH
TOUCH CONTROLS
HX-2-75NF-CER-T




900MM
FRAMELESS WITH
TOUCH CONTROLS
HX-2-9NF-CER-T

Induction



INDUCTION COOKTOP
HX-2-2NF-INDUCT

300MM
Induction




300MM
FRAMELESS WITH
TOUCH CONTROLS
HX-2-2NF-INDUCT

Induction



INDUCTION COOKTOP
HX-2-6NF-INDUCT

600MM
Induction




600MM
FRAMELESS WITH
TOUCH CONTROLS
HX-2-6NF-INDUCT*



INDUCTION ZONELESS
HX-2-6NF-ZLIND

600MM
Zoneless Induction




600MM
ZONELESS WITH
TOUCH CONTROLS
HX-2-6NF-ZLIND



INDUCTION 5 ZONE COOKTOP
HX-2-9NF-INDUCT

900MM
Induction



900MM
FRAMELESS WITH
TOUCH CONTROLS
HX-2-9NF-INDUCT

POWER SETTINGS:

CONTROL TYPE:

ELECTRICAL OUTLET REQUIRED:

HEAT INDICATORS:

EXCESSIVE HEAT PROTECTION:

EASY CLEAN SURFACE:

CHILD LOCK:

TIMER FUNCTION:

BOOST FUNCTION*:

	HX-2-2NF-INDUCT	HX-2-6NF-INDUCT* HX-2-6NF-ZLIND	HX-2-9NF-INDUCT
POWER SETTINGS:	***** **	***** **	***** **
CONTROL TYPE:	Touch	Touch	Touch
ELECTRICAL OUTLET REQUIRED:	15 amp	25 amp	32 amp
HEAT INDICATORS:	✓	✓	✓
EXCESSIVE HEAT PROTECTION:	✓	✓	✓
EASY CLEAN SURFACE:	✓	✓	✓
CHILD LOCK:	✓	✓	✓
TIMER FUNCTION:	✓	✓	✓
BOOST FUNCTION*:		✓	

Induction Cooktops

Induction cooking works by using magnetic energy to heat the pot or pan. Put simply, the pot becomes the element. Induction cooking provides instant heat, precise heat control and very efficient energy consumption.

The latest technology of zoneless induction cooking allows you to place pots of various sizes anywhere within the zones and the cooktop will automatically recognise the pot.

