
















## SYMBOLS

### Ovens

|   |                   |   |                         |   |                          |
|---|-------------------|---|-------------------------|---|--------------------------|
|  | Light             |  | Rotisserie Grill        |  | Fan Assisted Bake        |
|  | Conventional Bake |  | Fan Grill               |  | Fan Assisted Bottom Bake |
|  | Top Bake          |  | Fan Forced Double Grill |  | Fan Assist               |
|  | Bottom Bake       |  | Double Grill with Fan   |  | Multi Cooking Mode       |
|  | Grill             |  | Fan Forced              |  | Defrost                  |
|  | Double Grill      |  | Fan Forced Top Bake     |  | Pyrolytic Function       |
|  | Half Grill        |  | Fan Forced Bottom       |   |                          |

### Dishwashers

|   |                |   |            |   |         |   |            |
|---|----------------|---|------------|---|---------|---|------------|
|  | Intensive Wash |  | Rapid      |  | Rinse   |  | Glass      |
|  | Heavy Wash     |  | 60 Minutes |  | Soak    |  | Self Clean |
|  | Normal Wash    |  | 90 Minutes |  | Economy |   |            |

## CONTENTS

### The Parmco story

|   |    |
|---|----|
| Keeping up with Kiwis                         | 4  |
| Our promise to you                            | 6  |
| Leading edge technology and energy efficiency | 8  |
| Parmco at home in the Kiwi kitchen            | 10 |

### Cook

|                     |    |
|---------------------|----|
| Freestanding Stoves | 16 |
| Inbuilt Ovens       | 24 |
| Cooktops            | 35 |

### Vent

|            |    |
|------------|----|
| Canopies   | 42 |
| Rangehoods | 50 |
| Downdraft  | 56 |

### Clean

|                      |    |
|----------------------|----|
| Dishwashers          | 60 |
| Waste Disposal Units | 64 |

### Cool

|                |    |
|----------------|----|
| Refrigeration  | 68 |
| Chest Freezers | 69 |

### Laundry

|                  |    |
|------------------|----|
| Washing Machines | 72 |
| Dryers           | 75 |



# The Parmco story... keeping up with Kiwis

We've been cooking up a storm in Kiwi kitchens, ventilating the air and taking care of the dishes for over 30-years. From cooktops, rangehoods, to canopies and dishwashers, New Zealanders turn to Parmco for high quality appliances with the latest features, functions and cutting-edge designs.

Parmco's standards are of global proportions but we're proudly 100% New Zealand-owned and operated. Like our kitchen appliances, our people are committed to ensuring every customer gets the support they need. From our Auckland-based team to our nationwide network of service agents, we guarantee peace-of-mind with exceptional service and industry leading warranties on our products.

Whether entertaining friends or cooking for your family, trust Parmco to provide affordable cooking and ventilation solutions to suit your look, taste or trends.

The complete range of Parmco ovens, stoves and cooktops offer you greater control and flexibility, coupled with superb styling.

We'll help you maintain a cleaner, safer home environment. Parmco's ventilation options are efficient, quiet, stylish and there's a solution for every kitchen. From canopies, to rangehoods concealed power packs and in-bench units, you'll find your fit with Parmco.

Cleaning up is made easy with our range of dishwashers and waste disposal units delivering exceptional results, combined with the latest features and modern styling. Parmco has got Kiwis covered in the kitchen from start to finish.





We're proud to be a part of the Kiwi kitchen and stand behind the quality of our products.

Everyone can benefit from a little added protection, which is why we make sure our customers receive the help they need, if or when they need it.



At Parmco we like to go that step further for Kiwis, offering seven-years' warranty on all Parmco brand appliances - at no extra cost. Now that's peace of mind.

Full details and the terms and conditions of our warranties can be seen at [www.parmco.co.nz](http://www.parmco.co.nz)

Industry Leading Warranty.  
Our promise to you...

At Parmco, being Kiwi is in our DNA.

We love our country and take the responsibility to look after this wonderful place we call home.



Here at Parmco we have been helping Kiwis create inspiring homes and entertaining kitchens for over 30 years. Being 100% Kiwi owned and operated, for over 30 years means we are locals just like you.

We employ kiwis and every dollar we make stays in our beautiful country supporting our next generation. We hope you choose to do the same with us at Parmco.







# Leading edge technology and energy efficiency...

Alongside our stylish designs, Parmco products are built to the highest performance standards, from the best global manufacturers.

All Parmco ovens and freestanding stoves have a European A Level energy efficiency (Norm EN50304, Directive 2002/40EC), ensuring they use less energy to provide the same level of service. Making every cooking experience better all round for you and the environment.

Selected Parmco canopies and rangehoods have energy efficient LED lights, making them more reliable and lighter on energy use.

Parmco dishwashers are designed with cutting-edge performance, noise reduction and stringently tested to European standards. Selecting a half load cycle on a Parmco dishwasher can save you on both energy and water consumption. Clean and peaceful!





# Parmco at home in the Kiwi Kitchen

## Choosing the best products for your home and lifestyle

Whatever your design aspirations or space constraints, our extensive range of products have you covered in the kitchen. From cooktops, ovens, stoves and dishwashers to stylish rangehoods and ventilation systems, Parmco appliances combine the latest features and functions with the highest performance standards.


For appliances that are built to last and won't 'break the bank,' trust Parmco to bring style and affordability to your kitchen.

Your home is your haven and unique to you and your family. So, choosing kitchen appliances that best suit your needs and your budget is essential for ease of living.

There are a few key factors to consider when choosing appliances for your kitchen. Here are a few helpful tips to help you get your kitchen sorted!

Find your fit with Parmco.

## Cooktops... induction, electric or gas?



### INDUCTION

An induction cooktop works by using magnetic energy to heat the pot or pan, put simply - the pot is the element. Induction cooking provides very fast heat up, precise heat control and very efficient energy consumption.

The latest technology of zoneless induction cooking allows you to place pots of various sizes anywhere within the zones and the cooktop will automatically recognise the pot.



### CERAMIC

Parmco ceramic cooktops are easy to use and clean.

Available in 300mm, 600mm, 750mm and 900mm these cooktops give you great control in selecting a cooking temperature suitable for all types of cooking.



### GAS

With a sleek stainless steel design combined with durable cast iron trivets, a gas cooktop is suitable even for the most passionate cooks.

With two, four and five powerful burners including wok burner, you have the convenience of selecting a slow simmer or a powerful setting for stir-fries and steaks.

## Parmco kitchen appliances have been working with kiwis for over 30 years.

## Ovens...pyrolytic, electric or capacity?



### PYROLYTIC

By selecting the Pyrolytic function the oven door locks and temperatures reach up to 450 degrees! All the grease and fat burns to a crisp for you to simply wipe out the inside of the oven. Oven door may require additional cleaning.



### ELECTRIC

Parmco's built-in electric ovens have a full range of cooking functions and temperatures, giving you more control and flexibility.

What's more, all Parmco ovens have an A class energy efficiency!

Featuring triple glazed cool touch door technology, Parmco's oven doors produce low door temperatures making it safe even for the little fingers to touch.



### CAPACITY

Parmco offers you the option of different oven sizes and capacities to suit every cooking style.

With our 60cm built-in ovens providing a huge 56L/58L/70L or 76L usable capacity, you can fit a family size roast or any large dish.



# Ventilation... rear riser, canopy or rangehood?



## REAR RISER

Built to perform, the Parmco downdraft effectively captures and removes cooking odours from the cooking environment. The downdraft is a clever solution to address ventilation space challenges, enabling maximum kitchen design versatility. Plus, it's super quiet!




## CANOPY

Sleek control panels coupled with superb illumination powered by halogen, incandescent or LED lights, and a selection of fan speeds and features make Parmco's canopies an effective way of ventilating your kitchen. Creating your own kitchen style has never been easier. Parmco also has a "remote motoring" option which can assist in further reducing noise!



## RANGEHOOD

Rangehoods are an extra ventilation alternative suitable for built-in cabinets. Easily concealed by built-in cabinets and easy to clean, rangehoods are the most cost-effective ventilation option.





# Cook

## Smarter, stylish solutions

Life is busy and time in demand.

With family and friends to take care of, it goes without saying you need the help of reliable kitchen appliances.

Kiwis turn to Parmco for efficient and stylish cooking solutions that provide greater control and flexibility. Our entire range of Parmco cooktops, ovens and free-standing stoves combine superb design, optimal energy efficiency and are backed with industry leading warranties.

Trust Parmco to cook in your kitchen.





# Freestanding stoves


## Country Style Cookers

Our Country Style classic cookers are made in Europe and designed to provide a country style finish to your kiwi kitchen.



COMBINATION 900  
FREESTANDING STOVE  
CS 900G-BLK

30L/66L/66L  
900MM  
Electric



| CS 900G-BLK                           |                |
|---------------------------------------|----------------|
| FUNCTIONS:                            | ***** *        |
| COOK TOP:                             | Gas            |
| CAN BE JETTED FOR LPG OR NATURAL GAS: | ✓              |
| ELECTRICAL OUTLET REQUIRED:           | 17 amp         |
| UTILITY DRAWER:                       |                |
| FLAME FAILURE SAFETY:                 | ✓              |
| DIGITAL TIMER:                        | ✓              |
| TWIN FANS FOR FAST HEAT UP:           |                |
| CATALYTIC SELF-CLEANING PANELS:       | MAIN OVEN ONLY |


# Freestanding stoves

## Gas Cookers




GAS 600  
FREESTANDING STOVE  
FS 600-GAS GAS

70L  
600MM  
Gas Oven



GAS 900  
FREESTANDING STOVE  
AR 900-GAS GAS-1

107L  
900MM  
Gas Oven



## Cool Touch Door Technology

Fully ventilated doors, triple glazed glass and advanced cooling combines to produce "cool touch door technology". Through this clever combination of design and functionality, the technology of Parmco's oven doors produces low door temperatures, making it safe for those little fingers.



| FUNCTIONS:                            | FS 600-GAS GAS | AR 900-GAS GAS-1 |
|---------------------------------------|----------------|------------------|
|                                       | ****           | ****             |
| COOK TOP:                             | Gas burner     | Gas burner       |
| CAN BE JETTED FOR LPG OR NATURAL GAS: | ✓              | ✓                |
| ELECTRICAL OUTLET REQUIRED:           | 10 amp         | 10 amp           |
| COOL TOUCH DOOR TECHNOLOGY:           | ✓              | ✓                |
| UTILITY DRAWER:                       |                | ✓                |
| FLAME FAILURE SAFETY:                 | ✓              | ✓                |
| DIGITAL TIMER:                        |                |                  |
| TWIN FANS FOR FAST HEAT UP:           |                |                  |
| CATALYTIC SELF-CLEANING PANELS:       | ✓              | ✓                |




Freestanding stoves

Ceramic




CERAMIC TOP 600  
FREESTANDING STOVE  
FS600BC

76L  
600MM  
Electric




CERAMIC TOP 600  
FREESTANDING STOVE  
FS600SC

76L  
600MM  
Electric




INDUCTION TOP 600  
FREESTANDING STOVE  
FS600SI

76L  
600MM  
Electric



CERAMIC TOP 900  
FREESTANDING STOVE  
FS900SC

123L  
900MM  
Electric



|                                       | FS600SC  | FS600BC  | FS600SI   |
|---------------------------------------|----------|----------|-----------|
| FUNCTIONS:                            | ***** ** | ***** ** | ***** **  |
| COOK TOP:                             | Ceramic  | Ceramic  | Induction |
| CAN BE JETTED FOR LPG OR NATURAL GAS: |          |          |           |
| ELECTRICAL OUTLET REQUIRED:           | 32 amp   | 32 amp   | 32 amp    |
| COOL TOUCH DOOR TECHNOLOGY:           | ✓        | ✓        | ✓         |
| UTILITY DRAWER:                       | ✓        | ✓        | ✓         |
| FLAME FAILURE SAFETY:                 |          |          |           |
| DIGITAL TIMER:                        | ✓        | ✓        | ✓         |
| TWIN FANS FOR FAST HEAT UP:           |          |          |           |
| CATALYTIC SELF-CLEANING PANELS:       | ✓        | ✓        | ✓         |

|                                       | FS900SC  |
|---------------------------------------|----------|
| FUNCTIONS:                            | ***** ** |
| COOK TOP:                             | Ceramic  |
| CAN BE JETTED FOR LPG OR NATURAL GAS: |          |
| ELECTRICAL OUTLET REQUIRED:           | 50 amp   |
| COOL TOUCH DOOR TECHNOLOGY:           | ✓        |
| UTILITY DRAWER:                       | ✓        |
| FLAME FAILURE SAFETY:                 |          |
| DIGITAL TIMER:                        | ✓        |
| TWIN FANS FOR FAST HEAT UP:           | ✓        |
| CATALYTIC SELF-CLEANING PANELS:       | ✓        |




Freestanding stoves

Combination




COMBINATION 600  
FREESTANDING STOVE  
FS600BG

76L  
600MM  
Electric




COMBINATION 600  
FREESTANDING STOVE  
FS600SG

76L  
600MM  
Electric




COMBINATION 900  
FREESTANDING STOVE  
FS900SG

123L  
900MM  
Electric





COMBINATION 900 FREESTANDING  
STOVE ONE AND A HALF OVEN  
FS9S-5-3

70L / 36L  
900MM  
Electric



COMBINATION OBSIDIAN 900  
FREESTANDING STOVE  
FS900BG

123L  
900MM  
Electric




|                                       | FS600BG    | FS600SG    | FS900SG    |
|---------------------------------------|------------|------------|------------|
| FUNCTIONS                             | ***** ***  | ***** ***  | ***** ***  |
| COOK TOP:                             | Gas burner | Gas burner | Gas burner |
| CAN BE JETTED FOR LPG OR NATURAL GAS: | ✓          | ✓          | ✓          |
| ELECTRICAL OUTLET REQUIRED:           | 15 amp     | 15 amp     | 15 amp     |
| COOL TOUCH DOOR TECHNOLOGY:           | ✓          | ✓          | ✓          |
| UTILITY DRAWER:                       | ✓          | ✓          | ✓          |
| FLAME FAILURE SAFETY:                 | ✓          | ✓          | ✓          |
| DIGITAL TIMER:                        | ✓          | ✓          | ✓          |
| TWIN FANS FOR FAST HEAT UP:           |            |            | ✓          |
| CATALYTIC SELF-CLEANING PANELS:       | ✓          | ✓          | ✓          |

|                                       | FS9S-5-3        | FS900BG    |
|---------------------------------------|-----------------|------------|
| FUNCTIONS:                            | ***** ***/***** | ***** ***  |
| COOK TOP:                             | Gas burner      | Gas burner |
| CAN BE JETTED FOR LPG OR NATURAL GAS: | ✓               | ✓          |
| ELECTRICAL OUTLET REQUIRED:           | 20 amp          | 15 amp     |
| COOL TOUCH DOOR TECHNOLOGY:           | ✓               | ✓          |
| UTILITY DRAWER:                       | ✓               | ✓          |
| FLAME FAILURE SAFETY:                 | ✓               | ✓          |
| DIGITAL TIMER:                        | ✓               | ✓          |
| TWIN FANS FOR FAST HEAT UP:           |                 | ✓          |
| CATALYTIC SELF-CLEANING PANELS:       | MAIN OVEN ONLY  | ✓          |




Freestanding stoves

540mm / 600mm Electric



**ELECTRIC 600  
FREESTANDING STOVE  
FS60WP4**


60L  
600MM  
Electric






**ELECTRIC 540  
FREESTANDING STOVE  
FS54R**


70L/20L Oven/Grill  
540MM  
Electric





**ELECTRIC 600  
FREESTANDING STOVE  
FS60WR4 / FS60WR8**

76L Oven  
600MM  
Electric



Freestanding stoves

540mm / 600mm Ceramic



**CERAMIC 540  
FREESTANDING STOVE  
FS54CER**

70L/20L Oven/Grill  
540MM  
Electric





**CERAMIC 600  
FREESTANDING STOVE  
FS60WC8**

76L Oven  
600MM  
Electric



|                             | FS60WP4<br>****        | FS54R<br>*****                   | FS60WR4 / FS60WR8<br>**** / ***** *** |
|-----------------------------|------------------------|----------------------------------|---------------------------------------|
| FUNCTIONS:                  |                        |                                  |                                       |
| COOK TOP:                   | Electric (Solid Plate) | Electric (radiant coil elements) | Electric (radiant coil elements)      |
| ELECTRICAL OUTLET REQUIRED: | 40 amp                 | 32 amp                           | 40 amp                                |
| COOL TOUCH DOOR TECHNOLOGY: | ✓                      | ✓                                | ✓                                     |
| GRILL COMPARTMENT:          |                        | ✓                                |                                       |
| UTILITY DRAWER:             | ✓                      |                                  | ✓                                     |
| DIGITAL TIMER:              |                        |                                  | ✓                                     |
| INTEGRATED SIDE PLUG:       |                        | ✓ (RHS only)                     | ✓ (both sides)                        |
| ADJUSTABLE FEET:            |                        |                                  | ✓                                     |

|                             | FS54CER<br>***** | FS60WC8<br>***** *** |
|-----------------------------|------------------|----------------------|
| FUNCTIONS:                  |                  |                      |
| COOK TOP:                   | Ceramic          | Ceramic              |
| ELECTRICAL OUTLET REQUIRED: | 32 amp           | 40 amp               |
| COOL TOUCH DOOR TECHNOLOGY: | ✓                | ✓                    |
| GRILL COMPARTMENT:          | ✓                |                      |
| UTILITY DRAWER:             |                  | ✓                    |
| DIGITAL TIMER:              |                  | ✓                    |
| INTEGRATED SIDE PLUG:       | ✓ (RHS only)     | ✓ (both Sides)       |
| ADJUSTABLE FEET:            |                  | ✓                    |



# Inbuilt Ovens

## Gas

Parmco ovens offer precise cooking control with excellent multi-functions, including fan forced, grilling and even catalytic self clean panels on selected models. And more importantly, all Parmco ovens have an A class energy efficiency.





**GAS INBUILT OVEN  
OV-1-6S-GAS**

56L  
600MM  
GAS (can be jetted for LPG/NG)



**OV-1-6S-GAS**

|  |            |
|--|------------|
| <b>FUNCTIONS:</b>                          | *****      |
| <b>ELECTRICAL OUTLET REQUIRED:</b>         | 15 amp     |
| <b>TIMER:</b>                              | Mechanical |
| <b>FAN FORCED COOKING:</b>                 |            |
| <b>COOL TOUCH DOOR TECHNOLOGY:</b>         | ✓          |
| <b>TELESCOPIC RAILS:</b>                   |            |
| <b>EUROPEAN A-LEVEL ENERGY EFFICIENCY:</b> |            |
| <b>CHILD LOCK:</b>                         |            |
| <b>TOUCH CONTROLS:</b>                     |            |
| <b>CATALYTIC SELF-CLEANING PANELS:</b>     |            |



## What is European A-Level energy efficiency?

The European Energy Efficiency of the appliance is rated in terms of a set of energy efficiency classes from A to G, A being the most energy efficient, G the least efficient. This means that the appliance is using less energy to provide the same level of performance. All Parmco ovens have an A class energy efficiency. This is achieved by a new insulation system which ensures that the heat is kept in the oven. It also avoids overheating of the external surfaces, giving the ovens the extra benefit of having cool touch doors.







# Inbuilt Ovens

## Specialty





ELECTRIC TOUCH  
INBUILT OVEN  
PPOV-9S-48

105L  
900MM  
Electric





SIDE DOOR (Reversible door option)  
INBUILT OVEN  
PPOV-6S-SIDE-1

56L  
600MM  
Electric



ELECTRIC DOUBLE  
INBUILT OVEN  
PPOV-6S-DT-4

35L/59L  
600MM  
Electric



|                                     | PPOV-9S-48    | PPOV-6S-SIDE-1 | PPOV-6S-DT-4   |
|-------------------------------------|---------------|----------------|----------------|
| FUNCTIONS:                          | *****         | *****          | ***** / ****   |
| ELECTRICAL OUTLET REQUIRED:         | 15 amp        | 15 amp         | 20 amp         |
| TIMER:                              | Digital touch | Digital touch  | Digital touch  |
| FAN FORCED COOKING:                 | ✓             | ✓              | ✓              |
| COOL TOUCH DOOR TECHNOLOGY:         | ✓             | ✓              | ✓              |
| TELESCOPIC RAILS                    |               |                |                |
| EUROPEAN A-LEVEL ENERGY EFFICIENCY: | ✓             | ✓              | ✓              |
| CHILD LOCK:                         | ✓             |                |                |
| TOUCH CONTROLS:                     | ✓             |                |                |
| CATALYTIC SELF-CLEANING PANELS:     | ✓             |                | MAIN OVEN ONLY |





# Inbuilt Ovens

## Premium Electric

### What is a Pyrolytic oven?

This is the oven you have to have in your kitchen. The PPOV-6S-PYRO-2 in stainless steel trim is 600mm wide and comes with digital touch control, quadglaze cool touch door and child safety lock.

The PPOV-6S-PYRO-2 has twelve cooking functions including the pyrolytic cleaning mode. When the pyrolytic function is selected the oven door locks and temperatures reach up to 430 degrees! All the grease and fats burn to a crisp for you to simply wipe the inside of the oven.

### 76L Capacity Ovens

With Parmco’s new 60cm built-in ovens providing a huge 76L usable capacity, you can fit a family size roast or any other large dish. Bright lights combined with the large viewing window on the outer door, allow you to clearly see what’s going on in the oven. Finished in stunning black glass with stainless steel edges, this range creates a classic yet modern array of designs to match your kitchen. Plus, with the touch control panel and easy to read display, you have all functions under your control.



**ELECTRIC PYROLYTIC INBUILT OVEN**  
**PPOV-6S-PYRO-2**

76L  
600MM  
Electric





# Inbuilt Ovens

## Electric



**ELECTRIC 5 SERIES INBUILT OVEN**  
**OX-1-6S-5**

58L  
600MM  
Electric







**ELECTRIC 8 SERIES INBUILT OVEN**  
**OX-1-6S-8**

58L  
600MM  
Electric







|                                     | PPOV-6S-PYRO-2 |
|-------------------------------------|----------------|
| FUNCTIONS:                          | ***** **       |
| ELECTRICAL OUTLET REQUIRED:         | 15 amp         |
| TIMER:                              | Digital touch  |
| FAN FORCED COOKING:                 | ✓              |
| COOL TOUCH DOOR TECHNOLOGY:         | ✓              |
| TELESCOPIC RAILS:                   |                |
| EUROPEAN A-LEVEL ENERGY EFFICIENCY: | ✓              |
| CHILD LOCK:                         | ✓              |
| TOUCH CONTROLS:                     | ✓              |
| CATALYTIC SELF-CLEANING PANELS:     |                |
| PYROLYTIC FUNCTION:                 | ✓              |

|                                     | OX-1-6S-5  | OX-1-6S-8 |
|-------------------------------------|------------|-----------|
| FUNCTIONS:                          | *****      | ***** **  |
| ELECTRICAL OUTLET REQUIRED:         | 15 amp     | 15 amp    |
| TIMER:                              | Mechanical | Digital   |
| FAN FORCED COOKING:                 | ✓          | ✓         |
| COOL TOUCH DOOR TECHNOLOGY:         | ✓          | ✓         |
| TELESCOPIC RAILS:                   |            |           |
| EUROPEAN A-LEVEL ENERGY EFFICIENCY: | ✓          | ✓         |
| CHILD LOCK:                         |            |           |
| TOUCH CONTROLS:                     |            |           |
| CATALYTIC SELF-CLEANING PANELS:     |            |           |
| PYROLYTIC FUNCTION:                 |            |           |

Inbuilt Ovens

Electric - 5 Function



**ELECTRIC 5 SERIES PUSH  
BUTTON INBUILT OVEN  
OX7-2-6S-5-1**

76L  
600MM  
Electric





**ELECTRIC 5 SERIES  
INBUILT OVEN  
OX7-3-6S-5-1**

76L  
600MM  
Electric





**ELECTRIC 5 SERIES PUSH  
BUTTON INBUILT OVEN  
OX7-6-6S-5-1**

76L  
600MM  
Electric



|                                     | OX7-2-6S-5-1 | OX7-3-6S-5-1 | OX7-6-6S-5-1 |
|-------------------------------------|--------------|--------------|--------------|
| FUNCTIONS:                          | *****        | *****        | *****        |
| OVEN TYPE:                          | Electric     | Electric     | Electric     |
| ELECTRICAL OUTLET REQUIRED:         | 15 amp       | 15 amp       | 15 amp       |
| TIMER:                              | Mechanical   | Mechanical   | Mechanical   |
| FAN FORCED COOKING:                 | ✓            | ✓            | ✓            |
| COOL TOUCH DOOR TECHNOLOGY:         | ✓            | ✓            | ✓            |
| TELESCOPIC RAILS:                   |              |              |              |
| EUROPEAN A-LEVEL ENERGY EFFICIENCY: | ✓            | ✓            | ✓            |
| CHILD LOCK:                         |              |              |              |
| TOUCH CONTROLS:                     |              |              |              |
| CATALYTIC SELF-CLEANING PANELS:     |              |              |              |
| PYROLYTIC FUNCTION:                 |              |              |              |

Inbuilt Ovens

Electric - 8 Function



**ELECTRIC 8 SERIES PUSH  
BUTTON INBUILT OVEN  
OX7-2-6S-8-1**

76L  
600MM  
Electric





**ELECTRIC 8 SERIES  
INBUILT OVEN  
OX7-3-6S-8-1**

76L  
600MM  
Electric





**ELECTRIC 8 SERIES PUSH  
BUTTON INBUILT OVEN  
OX7-6-6S-8-1**

76L  
600MM  
Electric



|                                     | OX7-2-6S-8-1  | OX7-3-6S-8-1  | OX7-6-6S-8-1  |
|-------------------------------------|---------------|---------------|---------------|
| FUNCTIONS:                          | ***** ***     | ***** ***     | ***** ***     |
| OVEN TYPE:                          | Electric      | Electric      | Electric      |
| ELECTRICAL OUTLET REQUIRED:         | 15 amp        | 15 amp        | 15 amp        |
| TIMER:                              | Digital touch | Digital touch | Digital touch |
| FAN FORCED COOKING:                 | ✓             | ✓             | ✓             |
| COOL TOUCH DOOR TECHNOLOGY:         | ✓             | ✓             | ✓             |
| TELESCOPIC RAILS:                   |               |               |               |
| EUROPEAN A-LEVEL ENERGY EFFICIENCY: | ✓             | ✓             | ✓             |
| CHILD LOCK:                         |               |               |               |
| TOUCH CONTROLS:                     |               |               |               |
| CATALYTIC SELF-CLEANING PANELS:     | ✓             | ✓             | ✓             |
| PYROLYTIC FUNCTION:                 |               |               |               |




# Inbuilt Ovens

## Full Colour Glass




ELECTRIC 5 SERIES  
INBUILT OVEN  
OX7-4-6W-5-1

76L  
600MM  
Electric




ELECTRIC 8 SERIES  
INBUILT OVEN  
OX7-4-6W-8-1

76L  
600MM  
Electric



ELECTRIC 8 SERIES  
INBUILT OVEN  
OX7-4-6B-8-1


76L  
600MM  
Electric





|                                     |              |               |               |
|-------------------------------------|--------------|---------------|---------------|
| FUNCTIONS:                          | OX7-4-6W-5-1 | OX7-4-6W-8-1  | OX7-4-6B-8-1  |
| OVEN TYPE:                          | *****        | *****         | *****         |
| ELECTRICAL OUTLET REQUIRED:         | Electric     | Electric      | Electric      |
| TIMER:                              | 15 amp       | 15 amp        | 15 amp        |
| FAN FORCED COOKING:                 | Mechanical   | Digital touch | Digital touch |
| COOL TOUCH DOOR TECHNOLOGY:         | ✓            | ✓             | ✓             |
| TELESCOPIC RAILS:                   | ✓            | ✓             | ✓             |
| EUROPEAN A-LEVEL ENERGY EFFICIENCY: | ✓            | ✓             | ✓             |
| CHILD LOCK:                         | ✓            | ✓             | ✓             |
| TOUCH CONTROLS:                     | ✓            | ✓             | ✓             |
| CATALYTIC SELF-CLEANING PANELS:     | ✓            | ✓             | ✓             |
| PYROLYTIC FUNCTION:                 | ✓            | ✓             | ✓             |

# Installation requirements


## OX & OV OVEN MODEL




OX-1-6S-5  
OX-1-6S-8





OV-1-6S-GAS



## PPOV & OX7 OVEN MODEL




PPOV-6S-PYRO-2




OX7-2-6S-5-1  
OX7-2-6S-8-1  
OX7-3-6S-5-1  
OX7-3-6S-8-1  
OX7-4-6B-8-1

## PPOV OVEN MODEL



PPOV-9S-48



PPOV-6S-DT-4




Gas Cooktops

All gas cooktops are supplied jetted for natual gas. LPG conversion kits are supplied with all gas appliances.


Cooktops

Gas




**GAS COOKTOP**  
HO-1-2S-2G / HO-1-6S-3GW / HO-1-6W-3GW

300MM, 600MM  
Gas Hob



**GAS COOKTOP**  
HO-6-6S-3GW / HO-6-77S-4GW / HO-6-9S-4GW

600MM, 770MM, 900MM  
Gas Hob



|                                       | HO-1-2S-2G<br>HO-1-6S-3GW<br>HO-1-6W-3GW | HO-6-6S-3GW<br>HO-6-77S-4GW<br>HO-6-9S-4GW |
|---------------------------------------|--|--|
| ELECTRICAL OUTLET REQUIRED:           | 10 amp                                   | 10 amp                                     |
| EASY CLEAN SURFACE:                   | ✓  | ✓  |
| AUTOMATIC IGNITION:                   | ✓  | ✓  |
| FLAME FAILURE SAFETY:                 | ✓  | ✓  |
| CAN BE JETTED FOR LPG OR NATURAL GAS: | ✓  | ✓  |
| LOW PROFILE DESIGN:                   | ✓  |  |





Cooktops

Gas




GAS LOW PROFILE COOKTOP  
HO-2-6S-4G / HO-2-9S-4GW

600MM, 900MM  
Gas Hob



GAS BLACK GLASS COOKTOP  
HO-7-6G-3GW / HO-7-9G-4GW


600MM, 900MM  
Gas Hob



|                                       | HO-2-6S-4G<br>HO-2-9S-4GW* | HO-7-6G-3GW<br>HO-7-9G-4GW |
|---------------------------------------|----------------------------|----------------------------|
| ELECTRICAL OUTLET REQUIRED:           | 10 amp                     | 10 amp                     |
| EASY CLEAN SURFACE:                   | ✓                          | ✓                          |
| AUTOMATIC IGNITION:                   | ✓                          | ✓                          |
| FLAME FAILURE SAFETY:                 | ✓                          | ✓                          |
| CAN BE JETTED FOR LPG OR NATURAL GAS: | ✓                          | ✓                          |
| WOK ADAPTOR SUPPLIED*:                | ✓                          | ✓                          |
| LOW PROFILE DESIGN:                   | ✓                          | ✓                          |


Cooktops

Ceramic




CERAMIC COOKTOP  
HX-1-6S-CER / HX-1-6NF-CER

600MM  
Ceramic Hob



CERAMIC TOUCH COOKTOP  
HX-2-2NF-CER-T / HX-2-6S-CER-T / HX-2-6NF-CER-T


300MM, 600MM  
Ceramic Hob



|                             | HX-1-6S-CER<br>HX-1-6NF-CER<br>***** | HX-2-2NF-CER-T<br>HX-2-6NF-CER-T / HX-2-6S-CER-T<br>HX-2-75NF-CER-T / HX-2-9NF-CER-T<br>***** |
|-----------------------------|--------------------------------------|---|
| POWER SETTINGS:             |                                      |   |
| CONTROL TYPE:               | Knob                                 | Touch   |
| ELECTRICAL OUTLET REQUIRED: | 25 amp                               | 15 amp / 25 amp / 32 amp / 32 amp   |
| HEAT INDICATORS:            | ✓                                    | ✓   |
| EXCESSIVE HEAT PROTECTION:  | ✓                                    | ✓   |
| EASY CLEAN SURFACE:         | ✓                                    | ✓   |
| CHILD LOCK:                 |                                      | ✓   |
| TIMER FUNCTION:             |                                      | ✓   |
| BOOST FUNCTION:             |                                      |   |


# Cooktops

## Ceramic 900



CERAMIC TOUCH COOKTOP  
HX-2-75NF-CER-T / HX-2-9NF-CER-T

750MM, 900MM  
Ceramic Hob




## Induction



INDUCTION COOKTOP  
HX-2-2NF-INDUCT

300MM  
Induction




## Induction




INDUCTION COOKTOP  
HX-2-6NF-INDUCT

600MM  
Induction




INDUCTION ZONELESS  
HX-2-6NF-ZLIND

600MM  
Zoneless Induction



INDUCTION 5 ZONE COOKTOP  
HX-2-9NF-INDUCT

900MM  
Induction



|                             | HX-2-2NF-INDUCT | HX-2-6NF-INDUCT*<br>HX-2-6NF-ZLIND | HX-2-9NF-INDUCT |
|-----------------------------|-----------------|------------------------------------|-----------------|
| POWER SETTINGS:             | *****           | *****                              | *****           |
| CONTROL TYPE:               | Touch           | Touch                              | Touch           |
| ELECTRICAL OUTLET REQUIRED: | 15 amp          | 25 amp                             | 32 amp          |
| HEAT INDICATORS:            | ✓               | ✓                                  | ✓               |
| EXCESSIVE HEAT PROTECTION:  | ✓               | ✓                                  | ✓               |
| EASY CLEAN SURFACE:         | ✓               | ✓                                  | ✓               |
| CHILD LOCK:                 | ✓               | ✓                                  | ✓               |
| TIMER FUNCTION:             | ✓               | ✓                                  | ✓               |
| BOOST FUNCTION*:            |                 | ✓                                  |                 |

## Induction Cooktops

Induction cooking works by using magnetic energy to heat the pot or pan. Put simply, the pot becomes the element. Induction cooking provides instant heat, precise heat control and very efficient energy consumption.

The latest technology of zoneless induction cooking allows you to place pots of various sizes anywhere within the zones and the cooktop will automatically recognise the pot.





# Vent

## A cleaner, safer home environment

Creating the healthiest kitchen setting for Kiwis is our focus. Parmco's high performance, quiet and stylish ventilation options allow you to entertain family and friends in a cleaner atmosphere. From canopies, to rangehoods, to concealed power paks and riser units, trust Parmco to deliver healthier solutions for your kitchen.





# Canopies

## Glass



GLASS CURVED CANOPY  
T4-11GLA-6L

1000M3/hour  
600MM





600MM  
CURVED  
GLASS CANOPY  
T4-11GLA-6L



GLASS CURVED CANOPY  
T4-11GLA-9L

1000M3/hour  
900MM



900MM  
CURVED  
GLASS CANOPY  
T4-11GLA-9L

|                           | T4-11GLA-6L  | T4-11GLA-9L  |
|---------------------------|--------------|--------------|
| SPEED SETTINGS:           | ***          | ***          |
| NOISE:                    | 63dB         | 63dB         |
| CANOPY STYLE:             | Curved glass | Curved glass |
| REMOTE MOTOR COMPATIBLE:  | ✓            | ✓            |
| REMOVABLE GREASE FILTERS: | ✓            | ✓            |
| LED LIGHTS:               | ✓            | ✓            |
| CAN BE RECIRCULATED:      | ✓            | ✓            |
| EXTENDABLE CHIMNEY:       | ✓            | ✓            |
| 150MM DUCTING:            | ✓            | ✓            |
| DIGITAL DISPLAY:          |              |              |
| TOUCH CONTROLS:           |              |              |
| TIMER:                    |              |              |


# Canopies

## Box



SLIMLINE DIGIMAX BOX CANOPY  
RLCD-6G-1000L

1000M3/hour  
600MM




600MM  
STAINLESS STEEL  
DIGIMAX LCD  
BOX CANOPY  
RLCD-6G-1000L



SLIMLINE DIGIMAX BOX CANOPY  
RLCD-9G-1000L

1000M3/hour  
900MM



900MM  
STAINLESS STEEL  
DIGIMAX LCD  
BOX CANOPY  
RLCD-9G-1000L

|                           | RLCD-6G-1000L       | RLCD-9G-1000L       |
|---------------------------|---------------------|---------------------|
| SPEED SETTINGS:           | ***                 | ***                 |
| NOISE:                    | 63dB                | 63dB                |
| CANOPY STYLE:             | LCD Low profile box | LCD Low profile box |
| REMOTE MOTOR COMPATIBLE:  |                     |                     |
| REMOVABLE GREASE FILTERS: | ✓                   | ✓                   |
| LED LIGHTS:               | ✓                   | ✓                   |
| CAN BE RECIRCULATED:      | ✓                   | ✓                   |
| EXTENDABLE CHIMNEY:       |                     |                     |
| 150MM DUCTING:            | ✓                   | ✓                   |
| DIGITAL DISPLAY:          | ✓                   | ✓                   |
| TOUCH CONTROLS:           | ✓                   | ✓                   |
| TIMER:                    | ✓                   | ✓                   |




Canopies

Box



BOX CANOPY  
RBOX-6S-1000L

1000M3/hour  
600MM




600MM  
STAINLESS STEEL  
BOX CANOPY  
RBOX-6S-1000L



PERIPHERAL BOX CANOPY  
RPER-9G-1000

1000M3/hour  
900MM




900MM  
STAINLESS STEEL  
PERIPHERAL BOX CANOPY  
RPER-9G-1000




LOW PROFILE BOX CANOPY  
T4-12LOW-6L

1000M3/hour  
600MM



600MM  
STAINLESS STEEL  
SLIMLINE BOX CANOPY  
T4-12LOW-6L




T8C-LGAT  
Extendable Cover




LOW PROFILE BOX CANOPY  
T4-12LOW-9L

1000M3/hour  
900MM



900MM  
STAINLESS STEEL  
SLIMLINE BOX CANOPY  
T4-12LOW-9L



T8C-LGAT  
Extendable Cover



ISLAND CANOPY  
T4-12LOW-9IS-1

1000M3/hour  
900MM



900MM  
STAINLESS STEEL  
ISLAND CANOPY  
T4-12LOW-9IS-1

|                           | RBOX-6S-1000L | RPER-9G-1000 |
|---------------------------|---------------|--------------|
| SPEED SETTINGS:           | ***           | ***          |
| NOISE:                    | 63dB          | 60dB         |
| CANOPY STYLE:             | Box           | Peripheral   |
| REMOTE MOTOR COMPATIBLE:  | ✓             |              |
| REMOVABLE GREASE FILTERS: | ✓             | ✓            |
| LED LIGHTS:               | ✓             | ✓            |
| CAN BE RECIRCULATED:      | ✓             |              |
| EXTENDABLE CHIMNEY:       |               |              |
| 150MM DUCTING:            | ✓             | ✓            |
| DIGITAL DISPLAY:          |               |              |
| TOUCH CONTROLS:           |               | ✓            |
| TIMER:                    |               | ✓            |

|                           | T4-12LOW-6L     | T4-12LOW-9L     | T4-12LOW-9IS-1                    |
|---------------------------|-----------------|-----------------|-----------------------------------|
| SPEED SETTINGS:           | ***             | ***             | ***                               |
| NOISE:                    | 63dB            | 63dB            | 62dB                              |
| CANOPY STYLE:             | Low profile box | Low profile box | Island mounted<br>Low profile box |
| REMOTE MOTOR COMPATIBLE:  | ✓               | ✓               |                                   |
| REMOVABLE GREASE FILTERS: | ✓               | ✓               | ✓                                 |
| LED LIGHTS:               | ✓               | ✓               | ✓                                 |
| CAN BE RECIRCULATED:      | ✓               | ✓               |                                   |
| EXTENDABLE CHIMNEY:       | ✓               | ✓               | ✓                                 |
| 150MM DUCTING:            | ✓               | ✓               | ✓                                 |
| DIGITAL DISPLAY:          |                 |                 |                                   |
| TOUCH CONTROLS:           |                 |                 |                                   |
| TIMER:                    |                 |                 |                                   |


Canopies

Pyramid



STYLELINE 550 CANOPY  
RC6W550

550M3/hour  
600MM




550MM  
WHITE  
PYRAMID CANOPY  
RC6W550



STYLELINE 500 CANOPY  
RCAN-6S-500L / RCAN-6W-500L

500M3/hour  
600MM




600MM  
STAINLESS STEEL / WHITE  
PYRAMID CANOPY  
RCAN-6S-500L / RCAN-6W-500L



STYLELINE 500 CANOPY  
RCAN-9S-500L

500M3/hour  
900MM




900MM  
STAINLESS STEEL  
PYRAMID CANOPY  
RCAN-9S-500L



LIFESTYLE 1000 CANOPY  
RCAN-9S-1000L

1000M3/hour  
900MM



900MM  
STAINLESS STEEL  
PYRAMID CANOPY  
RCAN-9S-1000L

|                           | RC6W550 | RCAN-6S / W-500L         |
|---------------------------|---------|--------------------------|
| SPEED SETTINGS:           | ***     | ***                      |
| NOISE:                    | 67dB    | 48dB                     |
| CANOPY STYLE:             | Pyramid | Pyramid                  |
| REMOTE MOTOR COMPATIBLE:  |         | ✓                        |
| REMOVABLE GREASE FILTERS: | ✓       | ✓                        |
| LED LIGHTS:               | ✓       | ✓                        |
| CAN BE RECIRCULATED:      | ✓       | ✓                        |
| EXTENDABLE CHIMNEY:       |         | ✓ (stainless steel only) |
| 150MM DUCTING:            | ✓       | ✓                        |
| DIGITAL DISPLAY           |         |                          |
| TOUCH CONTROLS:           |         |                          |
| TIMER:                    |         |                          |

|                           | RCAN-9S-500L | RCAN-9S-1000L |
|---------------------------|--------------|---------------|
| SPEED SETTINGS:           | ***          | ***           |
| NOISE:                    | 67dB         | 63dB          |
| CANOPY STYLE:             | Pyramid      | Pyramid       |
| REMOTE MOTOR COMPATIBLE:  |              | ✓             |
| REMOVABLE GREASE FILTERS: | ✓            | ✓             |
| LED LIGHTS:               | ✓            | ✓             |
| CAN BE RECIRCULATED:      | ✓            | ✓             |
| EXTENDABLE CHIMNEY:       | ✓            | ✓             |
| 150MM DUCTING:            | ✓            | ✓             |
| DIGITAL DISPLAY           |              |               |
| TOUCH CONTROLS:           |              |               |
| TIMER:                    |              |               |




Canopies

Pyramid




LIFESTYLE 1000 CANOPY  
RCAN-6S-1000L / RCAN-6W-1000L

1000M3/hour  
600MM



UNBRANDED LIFESTYLE 1000 CANOPY  
URCAN-6B / 9B-1000L

1000M3/hour  
600MM / 900MM



|                           | RCAN-6S / W-1000L        | URCAN-6B / 9B-1000L |
|---------------------------|--------------------------|---------------------|
| SPEED SETTINGS:           | ***                      | ***                 |
| NOISE:                    | 63dB                     | 63dB                |
| CANOPY STYLE:             | Pyramid                  | Pyramid             |
| REMOTE MOTOR COMPATIBLE:  | ✓                        |                     |
| REMOVABLE GREASE FILTERS: | ✓                        | ✓                   |
| LED LIGHTS:               | ✓                        | ✓                   |
| CAN BE RECIRCULATED:      | ✓                        | ✓                   |
| EXTENDABLE CHIMNEY:       | ✓ (Stainless Steel only) | ✓                   |
| 150MM DUCTING:            | ✓                        | ✓                   |
| DIGITAL DISPLAY:          |                          |                     |
| TOUCH CONTROLS:           |                          |                     |
| TIMER:                    |                          |                     |

Halogen or LED Lights?

The sleek control panels are easy to use and offer a selection of fan speeds that easily remove steam and cooking smells. Operated by a separate control button, the halogen or LED lights provide illumination over the entire cooking surface.




# Rangehoods

## Inbuilt




GLASS FRONT CAPRICE  
RANGEHOOD  
T5C-6S-350 / T5C-6W-350

350M3/hour  
600MM



INTEGRATED TURBO PAK PLUS  
RANGEHOOD  
T7-6S-4 / T7-9S-4

1000M3/hour  
520MM / 746MM




# Rangehoods

## Tilt Front



TILTA FRONT  
RANGEHOOD  
T1-6-3L

450M3/hour  
600MM



### What are Aluminium Filters?

The aluminium filters effectively catch grease and are designed to be easily removed and easily cleaned.

### Fully Removable Aluminium Filters

|                                      | T5C-6S-350 / T5C-6W-350 | T7-6S-4 / T7-9S-4 |
|--------------------------------------|-------------------------|-------------------|
| SPEED SETTINGS:                      | ***                     | ***               |
| NOISE:                               | 68dB                    | 63dB              |
| RANGEHOOD STYLE:                     |                         | Integrated        |
| DUCTING:                             | 120mm                   | 150mm             |
| CAN BE RECIRCULATED:                 | ✓                       | ✓                 |
| REMOTE MOTOR COMPATIBLE:             |                         | ✓                 |
| FULL WIDTH REMOVABLE GREASE FILTERS: | ✓                       | ✓                 |
| LIGHTS:                              | Incandescent            | LED               |
| VENTED:                              | Top or rear             | Top               |

|                                      | T1-6-3L    |
|--------------------------------------|------------|
| SPEED SETTINGS:                      | ***        |
| NOISE:                               | 58dB       |
| RANGEHOOD STYLE:                     | Tilt front |
| DUCTING:                             | 150mm      |
| CAN BE RECIRCULATED:                 | ✓          |
| REMOTE MOTOR COMPATIBLE:             |            |
| FULL WIDTH REMOVABLE GREASE FILTERS: | ✓          |
| LED LIGHTS:                          | LED        |




# Rangehoods

## Telescopic



TELESCOPIC MILANO  
RANGEHOOD  
T2-6HAL

700M3/hour  
600MM




600MM  
TELESCOPIC  
RANGEHOOD  
T2-6HAL



TELESCOPIC MILANO  
RANGEHOOD  
T2-6-1L / T2-9-1L

440M3/hour  
600MM / 900MM



600MM  
TELESCOPIC  
RANGEHOOD  
T2-6-1L

900MM  
TELESCOPIC  
RANGEHOOD  
T2-9-1L

|                                      | T2-6HAL                            | T2-6-1L / T2-9-1L                  |
|--------------------------------------|------------------------------------|------------------------------------|
| SPEED SETTINGS:                      | ***                                | ***                                |
| NOISE:                               | 60dB                               | 60dB                               |
| RANGEHOOD STYLE:                     | Pull out under<br>cupboard mounted | Pull out under<br>cupboard mounted |
| DUCTING:                             | 150mm                              | 125mm                              |
| CAN BE RECIRCULATED:                 | ✓                                  | ✓                                  |
| REMOTE MOTOR COMPATIBLE:             |                                    |                                    |
| FULL WIDTH REMOVABLE GREASE FILTERS: | ✓                                  | ✓                                  |
| LED LIGHTS:                          | ✓                                  | ✓                                  |



# Ducting

## Inbuilt

### PARMCO DUCTING PACKS

54

EXPOSED REAR VENT KIT



EXPOSED REAR VENT KIT  
DPAKW150-1

|                  |                         |
|------------------|-------------------------|
|                  | <b>DPAKW150-1</b>       |
| AVAILABLE SIZES: | 150mm                   |
| COMPONENTS:      | Semi rigid 1m aluminium |
|                  | Outlet with vanes       |

Parmco Ducting Packs provide you with the convenience of being able to buy your ducting requirements out of the one standardised pack, taking the stress out of the ducting process.

### CANOPY & RANGEHOOD OPTIONS

**RECIRCULATING OPTIONS:**

**TPC**  
T7-6TWIN, T5-6

**TPC-AT 110 (LED models)**  
T2-6HAL, T2-6-1L, T2-9-1L, RBOX, RCAN, T4-11GLA-6L, T4-11GLA-9L, T4-12LOW-6L, T4-12LOW-9L, T7-6S-4, T7-9S-4, RLCD, RLOW

**TPC-AT 152**  
R6-501-1, DD-700IB-IND

**TPC-AT 160 (Halogen models)**  
RBOX, RCAN, T4-12LOW, T4-11GLA, T4-11GLA-6, T2-6HA, RTEL, RLOW, RLCD, T7-6S-3, T7-9S-3

**TPC-CB**  
T5C-6S-350, T5C-6W-350

**TPC-CB02**  
T1-6-3L

**TPC-XB**  
RC6W550







# Downdrafts



**600MM / 900MM DOWN DRAFT  
REAR RISER UNIT**  
DD-600RR-G / DD-900RR-G

1000M3/hour  
600MM / 900MM






Please refer to the installation manual for cutout guides.


Note: This unit is supplied with a remote motor kit which allows the fan motor to be placed up to 4.5 metres away from the downdraft.  
Ducting not supplied with unit.



**800MM INDUCTION HOB  
WITH BUILT-IN DOWNDRAFT**  
DDC800BI

600M3/hour  
800MM





Please refer to the installation manual for cutout guides.



## Rear-riser glass top

The rear-riser downdraft is a clever solution to address ventilation space challenges, enabling kitchen design versatility.

With this stylish line of rear-riser downdrafts, featuring black glass panel and touch control, you can enjoy the benefits of the perfect kitchen: no more clutter or obstructed kitchen views.

For example you can design your kitchen so that the cooktop is positioned in front of a window or even on an island bench. The rear-riser glides gently into position to quickly remove all odours and steam.

|  | DD-600RR-G / DD-900RR-G<br>600mm / 900mm | DDC800BI<br>800mm  |
|--|--|--------------------|
| SIZE:                                  | Rear-riser downdraft                     | Built-in downdraft |
| TYPE OF DOWNDRAFT:                     |  |                    |
| NOISE:                                 |  | 72db               |
| SPEED SETTINGS:                        | ***                                      | ***                |
| REMOVABLE ALUMINIUM FILTER:            | ✓  | ✓                  |
| TIMER:                                 |  | ✓                  |
| TOUCH CONTROL:                         | ✓  | ✓                  |
| CHILD LOCK:                            |  | ✓                  |
| CARBON FILTER AVAILABLE:               |  |                    |
| DURABLE STAINLESS STEEL:               | ✓  |                    |
| AVAILABLE WITHOUT COOKTOP INTEGRATION: | ✓  |                    |
| REMOTE MOTOR KIT SUPPLIED:             | ✓  |                    |
| INTEGRATED LED LIGHTS:                 | ✓  |                    |

# Clean Quiet Solutions

Effortless, quiet and oh so efficient, Parmco's range of dishwashers deliver results with minimal fuss. With a range of models to suit every kitchen, affording a stylish and reliable cleaning solution has never been simpler.

Count on us to take care of the environment and deliver cleaner results, every time. Life's too short to do dishes.






Dishwashers



450MM  
ECONOMY PLUS  
DW45SP / DW45WP

10 Place Settings  
450MM




450MM  
ECONOMY PLUS  
DW45SP / DW45WP




600MM  
INTEGRATED  
DW6INT

14 Place Settings  
600MM



600MM  
INTEGRATED  
DW6INT

NB: Control panel shown is inside on top of door.



Dry Plus Function

When this function is selected, the water temperature during the final rinse stage is increased to 66° C to improve the drying process.


|                          | DW45SP / DW45WP   | DW6INT            |
|--------------------------|-------------------|-------------------|
| PROGRAMMES:              | ***** **          | ***** **          |
| WATER RATING:            | 3.5 star (11L)    | 4.5 star (12L)    |
| ENERGY RATING:           | 3.5 star (189kWh) | 3.5 star (259kWh) |
| NOISE:                   | 49dB              | 49dB              |
| FLOOD PROTECTION:        | ✓                 | ✓                 |
| HALF LOAD OPTION:        |                   |                   |
| DUAL ZONE WASH:          |                   | ✓                 |
| CHILD LOCK:              | ✓                 |                   |
| TIMER DELAY:             | ✓                 | ✓                 |
| DIGITAL CONTROLS:        | ✓                 | ✓                 |
| ADJUSTABLE TOP BASKET:   | ✓                 | ✓                 |
| THIRD LAYER CUTLERY TRAY | ✓                 |                   |
| DRY PLUS FUNCTION:       |                   | ✓                 |

Dishwashers



FREESTANDING  
ECONOMY  
DW6SE / DW6WE

12 Place Settings  
600MM




NB: Images may vary slightly from actual product. Images are displayed for measurement purposes only.



FREESTANDING  
ECONOMY PLUS  
DW6SP / DW6WP

14 Place Settings  
600MM




Dishwashers



FREESTANDING  
DIGITAL LED  
DW6SL / DW6BL

15 Place Settings  
600MM



NB: Images may vary slightly from actual product. Images are displayed for measurement purposes only.

|                          | DW6SE / DW6WE    | DW6SP / DW6WP    |
|--------------------------|------------------|------------------|
| PROGRAMMES:              | *****            | ***** **         |
| WATER RATING:            | 4.5 star (10.7L) | 4.5 star (12.2L) |
| ENERGY RATING:           | 3 star (267kWh)  | 3 star (320kWh)  |
| NOISE:                   | 52dB             | 52dB             |
| FLOOD PROTECTION:        | ✓                | ✓                |
| HALF LOAD OPTION:        | ✓                | ✓                |
| CHILD LOCK:              | ✓                | ✓                |
| TIMER DELAY:             | ✓                | ✓                |
| DIGITAL CONTROLS:        |                  | ✓                |
| ADJUSTABLE TOP BASKET:   |                  | ✓                |
| THIRD LAYER CUTLERY TRAY |                  |                  |
| DRY PLUS FUNCTION:       |                  | ✓                |

|                          | DW6SL / DW6BL     |
|--------------------------|-------------------|
| PROGRAMMES:              | *****             |
| WATER RATING:            | 4.5 star (12.48L) |
| ENERGY RATING:           | 3.5 star (276kWh) |
| NOISE:                   | 49dB              |
| FLOOD PROTECTION:        | ✓                 |
| HALF LOAD OPTION:        | ✓                 |
| CHILD LOCK:              |                   |
| TIMER DELAY:             |                   |
| DIGITAL CONTROLS:        | ✓                 |
| ADJUSTABLE TOP BASKET:   | ✓                 |
| THIRD LAYER CUTLERY TRAY | ✓                 |
| DRY PLUS FUNCTION:       | ✓                 |



# Waste Disposers



**STANDARD  
WASTE DISPOSAL  
GD-2**

1/2 Horse Power





**MID DUTY  
WASTE DISPOSAL  
GD-3**

1/2 Horse Power - mid duty



## Accessories



**GD-AIRSWITCH**

The GD-Airswitch is the safe way to operate your waste disposal, even with wet hands. Unlike an electrical switch, the air switch can be installed right next to your taps or around the wet area of your sink.

|   | GD-2 | GD-3 |
|---|------|------|
| TUNGSTEN CARBIDE HAMMERS:                                 | ✓    | ✓    |
| ENERGY EFFICIENT MAGNET MOTOR:                            | ✓    | ✓    |
| ODOUR REDUCING ANTI-MICROBIAL BIOCIDES:                   | ✓    | ✓    |
| SIMPLE INSTALLATION:                                      | ✓    | ✓    |
| SPEEDMASTER MOUNTING SYSTEM:                              | ✓    | ✓    |
| DISPOSES OF CORN COBS,<br>COOKED FISH BONES, ONION SKINS: | ✓    | ✓    |
| BALANCED SOUND SHELL FOR QUIET OPERATION:                 | ✓    | ✓    |
| AIRSWITCH COMPATIBLE:                                     | ✓    | ✓    |



Reduced waste in landfills and recycling of waste is easy with the Parmco range of waste disposers and bins. Powerful, quiet and sturdy disposers will tackle food scrap items that others cannot.

# Cool

## Small and Compact

Less energy used, less running noise,  
less switch noise. Sleek and stylish.  
Our refrigeration range will make a  
stunning addition to your kitchen.

PARMCO



Refrigeration



**UNDER BENCH  
FRIDGE FREEZER  
FR86WUBFF**

86L

**7 YEAR  
Warranty**





835mm  
486mm  
536mm





**BOTTOM MOUNT  
FRIDGE FREEZER  
FR253SBMFF**

253L

**7 YEAR  
Warranty**





1660mm  
550mm  
640mm





**TOP MOUNT  
FRIDGE FREEZER  
FR362STMFF**

362L

**7 YEAR  
Warranty**






1700mm  
600mm  
665mm



|                        | FR86WUBFF         | FR253SBMFF         | FR362STMFF         |
|------------------------|-------------------|--------------------|--------------------|
| TOTAL CAPACITY:        | 86L               | 253L               | 362L               |
| FRIDGE CAPACITY:       | 64L               | 100L               | 268L               |
| FREEZER CAPACITY:      | 22L               | 153L               | 94L                |
| ENERGY RATING:         | 2.5 star (186kWh) | 3 star (334kWh)    | 2.5 star (436kWh)  |
| DIMENSIONS:            | 486 x 536 x 835mm | 550 x 640 x 1660mm | 600 x 665 x 1700mm |
| TEMPERATURE CONTROL:   | Mechanical        | Electronic         | Electronic         |
| MANUAL DEFROST:        | ✓                 | ✓                  | ✓                  |
| FRIDGE INTERNAL LIGHT: | ✓                 | ✓                  | ✓                  |
| REVERSIBLE DOOR:       | ✓                 | ✓                  | ✓                  |


Chest Freezers




**CHEST FREEZER  
CF142W**


142L

**7 YEAR  
Warranty**





850mm  
705mm  
560mm





**CHEST FREEZER  
CHF-251**

251L

**7 YEAR  
Warranty**





850mm  
950mm  
616mm





**CHEST FREEZER  
CHF-380**

380L

**7 YEAR  
Warranty**





850mm  
1300mm  
700mm



|                        | CF142W            | CHF-251           | CHF-380            |
|------------------------|-------------------|-------------------|--------------------|
| TOTAL CAPACITY:        | 142L              | 251L              | 380L               |
| ENERGY RATING:         | 3 star (217kWh)   | 2 star (404kWh)   | 2 star (514kWh)    |
| DIMENSIONS:            | 705 x 560 x 850mm | 950 x 616 x 850mm | 1300 x 700 x 850mm |
| COOLING TECHNOLOGY:    | Direct Cooling    | Direct Cooling    | Direct Cooling     |
| TEMPERATURE CONTROL:   | Mechanical        | Mechanical        | Electronic         |
| NOISE:                 | 42dB              | 42dB              | 42dB               |
| MANUAL DEFROST:        | ✓                 | ✓                 | ✓                  |
| WATER DISPOSAL DEVICE: | ✓                 | ✓                 | ✓                  |
| WIRE BASKET:           | ✓                 | ✓                 | ✓                  |

# Laundry

## Neat and tidy

Excellent cleaning performance and the latest technology to provide you and your family with laundry solutions that are kind to the family, to your clothes and kind to the environment.





# Washing Machines


## Front Loaders & Combos



**FRONT LOAD WASHING MACHINE**  
**WM8WF**  
8KG



**FRONT LOAD WASHING MACHINE**  
**WM10WF02**  
10KG



**FRONT LOAD WASHER / CONDENSOR DRYER**  
**WD106WF**  
10KG WASHER/6KG DRYER



|                          | WM8WF                 | WM10WF02               | WD106WF                |
|--------------------------|-----------------------|------------------------|------------------------|
| CAPACITY:                | 8KG                   | 10KG                   | 10KG / 6KG             |
| PROGRAMMES:              | 15                    | 16                     | 15                     |
| WASHER ENERGY RATING:    | 4 star (299kWh)       | 4 star (366kWh)        | 4 star (361kWh)        |
| WATER RATING:            | 4 star (80L per wash) | 4 star (101L per wash) | 4 star (101L per wash) |
| DRYER ENERGY RATING:     |                       |                        | 2 star (266kWh)        |
| CHILD LOCK:              | ✓                     | ✓                      | ✓                      |
| DELAY START FUNCTION:    | ✓                     | ✓                      | ✓                      |
| MUTE WASHING:            | ✓                     | ✓                      | ✓                      |
| THR WASH & DRY FUNCTION: | N/A                   | N/A                    | ✓                      |



# Washing Machines

## Top Loaders



**TOP LOAD WASHING MACHINE WM55WT**  
5.5KG





**TOP LOAD WASHING MACHINE WM7WT**  
7KG





**TOP LOAD WASHING MACHINE WM10WT**  
10KG



|                       | WM55WT                | WM7WT                 | WM10WT                 |
|-----------------------|-----------------------|-----------------------|------------------------|
| CAPACITY:             | 5.5KG                 | 7KG                   | 10KG                   |
| PROGRAMMES:           | 8                     | 8                     | 8                      |
| ENERGY RATING:        | 2 star (426kWh)       | 2 star (489kWh)       | 2 star (772kWh)        |
| WATER RATING          | 3 star (76L per wash) | 3 star (92L per wash) | 3 star (136L per wash) |
| CHILD LOCK:           | ✓                     | ✓                     | ✓                      |
| DELAY START FUNCTION: | ✓                     | ✓                     | ✓                      |
| AUTO BALANCE SYSTEM:  | ✓                     | ✓                     | ✓                      |
| DRUM CLEAN SYSTEM:    | ✓                     | ✓                     | ✓                      |
| AUTO POWER OFF:       | ✓                     | ✓                     | ✓                      |
| WATER BLOW PULSATOR:  | ✓                     | ✓                     | ✓                      |

# Dryers



**DRYER TUMBLE REVERSABLE PT-F7-R**  
7KG





**DRYER CONDENSOR DR8WCON**  
8KG





**DRYER HEAT PUMP DR8WHP**  
8KG



|                       | PT-F7-R         | DR8WCON         | DR8WHP          |
|-----------------------|-----------------|-----------------|-----------------|
| CAPACITY:             | 7KG             | 8KG             | 8KG             |
| PROGRAMMES:           | 9               | 15              | 15              |
| DRYER ENERGY RATING:  | 2 star (311kWh) | 2 star (358kWh) | 7 star (158kWh) |
| REVERSIBLE DOOR:      | ✓               |                 |                 |
| FRONT VENTED:         | ✓               | N/A             | N/A             |
| ANITCREASE FUNCTION:  | ✓               | ✓               | ✓               |
| DELAY START FUNCTION: |                 | ✓               | ✓               |
| CHILD LOCK:           | ✓               | ✓               | ✓               |



**PARMCO**

519 Mt Wellington Highway, Mt Wellington, Auckland  
+64 9 573 5678, [sales@parmco.co.nz](mailto:sales@parmco.co.nz)

[www.parmco.co.nz](http://www.parmco.co.nz)