

# Vent

## A cleaner, safer home environment

Creating the healthiest kitchen setting for Kiwis is our focus. Parmco's high performance, quiet and stylish ventilation options allow you to entertain family and friends in a cleaner atmosphere. From canopies, to rangehoods, to concealed power paks and riser units, trust Parmco to deliver healthier solutions for your kitchen.





# Canopies

## Glass



**GLASS CURVED CANOPY  
T4-11GLA-6L**

1000M3/hour  
600MM





600MM  
CURVED  
GLASS CANOPY  
T4-11GLA-6L



**GLASS CURVED CANOPY  
T4-11GLA-9L**

1000M3/hour  
900MM



900MM  
CURVED  
GLASS CANOPY  
T4-11GLA-9L

	<b>T4-11GLA-6L</b> ***	<b>T4-11GLA-9L</b> ***
SPEED SETTINGS:		
NOISE:	63dB	63dB
CANOPY STYLE:	Curved glass	Curved glass
REMOTE MOTOR COMPATIBLE:	✓	✓
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	✓
EXTENDABLE CHIMNEY:	✓	✓
150MM DUCTING:	✓	✓
DIGITAL DISPLAY:		
TOUCH CONTROLS:		
TIMER:		

# Canopies

## Box




BAFFLE FILTER  
AVAILABLE  
ON THIS MODEL



**SLIMLINE DIGIMAX BOX CANOPY  
RLCD-6G-1000L**

1000M3/hour  
600MM



600MM  
STAINLESS STEEL  
DIGIMAX LCD  
BOX CANOPY  
RLCD-6G-1000L




BAFFLE FILTER  
AVAILABLE  
ON THIS MODEL



**SLIMLINE DIGIMAX BOX CANOPY  
RLCD-9G-1000L**

1000M3/hour  
900MM



900MM  
STAINLESS STEEL  
DIGIMAX LCD  
BOX CANOPY  
RLCD-9G-1000L

	<b>RLCD-6G-1000L</b> ***	<b>RLCD-9G-1000L</b> ***
SPEED SETTINGS:		
NOISE:	63dB	63dB
CANOPY STYLE:	LCD Low profile box	LCD Low profile box
REMOTE MOTOR COMPATIBLE:		
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	✓
EXTENDABLE CHIMNEY:		
150MM DUCTING:	✓	✓
DIGITAL DISPLAY:	✓	✓
TOUCH CONTROLS:	✓	✓
TIMER:	✓	✓

# Canopies



## Box



**BAFFLE FILTER AVAILABLE ON THIS MODEL**

**LOW PROFILE BOX CANOPY  
T4-12LOW-6L**

1000M3/hour  
600MM

T8C-LGAT  
Extendable Cover



600MM  
STAINLESS STEEL  
SLIMLINE BOX CANOPY  
T4-12LOW-6L



**BAFFLE FILTER AVAILABLE ON THIS MODEL**

**LOW PROFILE BOX CANOPY  
T4-12LOW-9L**

1000M3/hour  
900MM

T8C-LGAT  
Extendable Cover


900MM  
STAINLESS STEEL  
SLIMLINE BOX CANOPY  
T4-12LOW-9L



**BAFFLE FILTER AVAILABLE ON THIS MODEL**

**ISLAND CANOPY  
T4-12LOW-9IS-1**

1000M3/hour  
900MM



900MM  
STAINLESS STEEL  
ISLAND CANOPY  
T4-12LOW-9IS-1

## UPGRADE TO OUR NEW BAFFLE FILTERS

Parmco's stainless steel Baffle Filters are engineered with precision to deliver a high-velocity airflow, thereby furnishing an effective anti-dipping mechanism when confronted with high-heat culinary endeavors. These meticulously designed filters feature strategically positioned openings that adeptly capture grease, while also facilitating effortless maintenance and cleaning.

Furthermore, the filters' sophisticated aesthetics enhance your kitchen's ambiance by imbuing it with a distinct commercial allure. Elevate your culinary space with Parmco's stainless steel Baffle Filters, where form seamlessly complements function.



	T4-12LOW-6L	T4-12LOW-9L	T4-12LOW-9IS-1	T4-12LOW-9IS-1
SPEED SETTINGS:	***	***	***	***
NOISE:	63dB	63dB	62dB	63dB
CANOPY STYLE:	Low profile box	Low profile box	Island mounted Low profile box	Island mounted Low profile box
REMOTE MOTOR COMPATIBLE:	✓	✓		
REMOVABLE GREASE FILTERS:	✓	✓	✓	✓
LED LIGHTS:	✓	✓	✓	✓
CAN BE RECIRCULATED:	✓	✓	✓	✓
EXTENDABLE CHIMNEY:	✓	✓	✓	✓
150MM DUCTING:	✓	✓	✓	✓
DIGITAL DISPLAY:				
TOUCH CONTROLS:				
TIMER:				

**BAFFLE FILTERS**




CODE	MODEL AVAILABILITY
YA201011100006	RCAN-6S T4-12LOW-6L RLCD-6G
YA201011100009	RCAN-9S T4-12LOW-9L RLCD-9G
YA201011100014	T4-12LOW-9IS-1


# Canopies

## Pyramid




STYLELINE 550 CANOPY  
RC6W500

500M3/hour  
600MM




500MM  
WHITE  
PYRAMID CANOPY  
RC6W500




STYLELINE 500 CANOPY  
RCAN-6S-500L / RCAN-6W-500L

500M3/hour  
600MM




600MM  
STAINLESS STEEL / WHITE  
PYRAMID CANOPY  
RCAN-6S-500L / RCAN-6W-500L




STYLELINE 500 CANOPY  
RCAN-9S-500L

500M3/hour  
900MM




900MM  
STAINLESS STEEL  
PYRAMID CANOPY  
RCAN-9S-500L



LIFESTYLE 1000 CANOPY  
RCAN-9S-1000L

1000M3/hour  
900MM



900MM  
STAINLESS STEEL  
PYRAMID CANOPY  
RCAN-9S-1000L

	RC6W500	RCAN-6S / W-500L
SPEED SETTINGS:	***	***
NOISE:	58dB	48dB
CANOPY STYLE:	Pyramid	Pyramid
REMOTE MOTOR COMPATIBLE:		✓
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	✓
EXTENDABLE CHIMNEY:	✓	✓ (stainless steel only)
150MM DUCTING:	✓	✓
DIGITAL DISPLAY		
TOUCH CONTROLS:		
TIMER:		

	RCAN-9S-500L	RCAN-9S-1000L
SPEED SETTINGS:	***	***
NOISE:	67dB	63dB
CANOPY STYLE:	Pyramid	Pyramid
REMOTE MOTOR COMPATIBLE:		✓
REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓
CAN BE RECIRCULATED:	✓	✓
EXTENDABLE CHIMNEY:	✓	✓
150MM DUCTING:	✓	✓
DIGITAL DISPLAY		
TOUCH CONTROLS:		
TIMER:		


# Canopies

## Pyramid




**LIFESTYLE 1000 CANOPY**  
RCAN-6S-1000L / RCAN-6W-1000L

1000M3/hour  
600MM

**UNBRANDED LIFESTYLE 1000 CANOPY**  
URCAN-6B / 9B-1000L

1000M3/hour  
600MM / 900MM

SPEED SETTINGS:

NOISE:

CANOPY STYLE:

REMOTE MOTOR COMPATIBLE:

REMOVABLE GREASE FILTERS:

LED LIGHTS:

CAN BE RECIRCULATED:

EXTENDABLE CHIMNEY:

150MM DUCTING:

DIGITAL DISPLAY:

TOUCH CONTROLS:

TIMER:

**RCAN-6S / W-1000L**

\*\*\*

63dB

Pyramid

✓

✓

✓

✓

✓ (Stainless Steel only)

✓

**URCAN-6B / 9B-1000L**

\*\*\*

63dB

Pyramid

✓

✓

✓

✓

✓

## Halogen or LED Lights?

The sleek control panels are easy to use and offer a selection of fan speeds that easily remove steam and cooking smells. Operated by a separate control button, the halogen or LED lights provide illumination over the entire cooking surface.




# Rangehoods

## Inbuilt



**GLASS FRONT CAPRICE RANGEHOOD**  
T5C-6S-350 / T5C-6W-350

350M3/hour  
600MM




600MM GLASS FRONT RANGEHOOD  
T5C-6S-350 / T5C-6W-350



**INTEGRATED TURBO PAK PLUS RANGEHOOD**  
T7-6S-4 / T7-9S-4

1000M3/hour  
520MM / 746MM



520MM INTEGRATED TURBO PAK PLUS RANGEHOOD  
T7-6S-4

746MM INTEGRATED TURBO PAK PLUS RANGEHOOD  
T7-9S-4


# Rangehoods

## Inbuilt - Black Glass



**INTEGRATED TURBO PAK PLUS BLACK GLASS RANGEHOOD**  
RT52G1000 / RT9G1000

1000M3/hour  
520MM / 900MM



520MM INTEGRATED TURBO PAK PLUS BLACK GLASS RANGEHOOD  
RT52G1000

900MM INTEGRATED TURBO PAK PLUS BLACK GLASS RANGEHOOD  
RT9G1000

## New Inbuilt Glass Turbo Paks

Elevate your kitchen to a realm of refined sophistication with Parmco's inbuilt glass Turbo Paks. These exquisite additions not only bestow an aura of timeless elegance upon your culinary space but also introduce unparalleled ease into the realm of kitchen maintenance. Crafted with meticulous attention to detail, the filter cover boasts an ingenious anti-dripping feature, ensuring your cooktop remains pristine and free from unwanted drips at all times.

Discover the epitome of kitchen luxury with Parmco's inbuilt glass Turbo Paks, where beauty meets practicality in harmonious design.

	T5C-6S-350 / T5C-6W-350	T7-6S-4 / T7-9S-4
SPEED SETTINGS:	***	***
NOISE:	68dB	63dB
RANGEHOOD STYLE:		Integrated
DUCTING:	120mm	150mm
CAN BE RECIRCULATED:	✓	✓
REMOTE MOTOR COMPATIBLE:		✓
FULL WIDTH REMOVABLE GREASE FILTERS:	✓	✓
LIGHTS:	Incandescent	LED
VENTED:	Top or rear	Top

	RT52G1000	RT9G1000
SPEED SETTINGS:	****	****
NOISE:	63dB	63dB
RANGEHOOD STYLE:	Integrated	Integrated
DUCTING:	150mm	150mm
CAN BE RECIRCULATED:	✓	✓
REMOTE MOTOR COMPATIBLE:		
FULL WIDTH REMOVABLE GREASE FILTERS:		
LIGHTS:	LED	LED
VENTED:	Top	Top




# Rangehoods

## Tilt Front



**TILTA FRONT RANGEHOOD T1-6-3L**

450M3/hour  
600MM



600MM  
TILTA FRONT RANGEHOOD T1-6-3L

### What are Aluminium Filters?

The aluminium filters effectively catch grease and are designed to be easily removed and easily cleaned.

All Fully Removable Aluminium Filters.


# Rangehoods

## Telescopic



**TELESCOPIC MILANO RANGEHOOD T2-6HAL**

700M3/hour  
600MM




600MM  
TELESCOPIC RANGEHOOD T2-6HAL




**TELESCOPIC MILANO RANGEHOOD T2-6-1L / T2-9-1L**

440M3/hour  
600MM / 900MM



600MM  
TELESCOPIC RANGEHOOD T2-6-1L



900MM  
TELESCOPIC RANGEHOOD T2-9-1L

	<b>T1-6-3L</b>
SPEED SETTINGS:	***
NOISE:	58dB
RANGEHOOD STYLE:	Tilt front 150mm
CAN BE RECIRCULATED:	✓
REMOTE MOTOR COMPATIBLE:	
FULL WIDTH REMOVABLE GREASE FILTERS:	✓
LED LIGHTS:	LED

	<b>T2-6HAL</b>	<b>T2-6-1L / T2-9-1L</b>
SPEED SETTINGS:	***	***
NOISE:	60dB	60dB
RANGEHOOD STYLE:	Pull out under 150mm	Pull out under 125mm
CAN BE RECIRCULATED:	✓	✓
REMOTE MOTOR COMPATIBLE:		
FULL WIDTH REMOVABLE GREASE FILTERS:	✓	✓
LED LIGHTS:	✓	✓




# Ducting

## Inbuilt

### PARMCO DUCTING PACKS

#### EXPOSED REAR VENT KIT



#### EXPOSED REAR VENT KIT DPAKW150-1

	DPAKW150-1
AVAILABLE SIZES:	150mm
COMPONENTS:	Semi rigid 1m aluminium Outlet with vanes

Parmco Ducting Packs provide you with the convenience of being able to buy your ducting requirements out of the one standardised pack, taking the stress out of the ducting process.

### CANOPY & RANGEHOOD OPTIONS

#### RECIRCULATING OPTIONS:

**TPC**  
T7-6TWIN, T5-6

**TPC-AT 110 (LED models)**  
T2-6HAL, T2-6-1L, T2-9-1L, RBOX, RCAN, T4-11GLA-6L, T4-11GLA-9L, T4-12LOW-6L, T4-12LOW-9L, T7-6S-4, T7-9S-4, RLCD, RLOW

**TPC-AT 152**  
R6-501-1, DD-700IB-IND

**TPC-AT 160 (Halogen models)**  
RBOX, RCAN, T4-12LOW, T4-11GLA, T4-11GLA-6, T2-6HA, RTEL, RLOW, RLCD T7-6S-3, T7-9S-3

**TPC-CB**  
T5C-6S-350, T5C-6W-350

**TPC-CB02**  
T1-6-3L

**TPC-XB**  
RC6W550

## Rear-riser glass top

The rear-riser downdraft is a clever solution to address ventilation space challenges, enabling kitchen design versatility.

With this stylish line of rear-riser downdrafts, featuring black glass panel and touch control, you can enjoy the benefits of the perfect kitchen: no more clutter or obstructed kitchen views.


For example you can design your kitchen so that the cooktop is positioned in front of a window or even on an island bench. The rear-riser glides gently into position to quickly remove all odours and steam.

## Downdrafts



Please refer to the installation manual for cutout guides.

Note: This unit is supplied with a remote motor kit which allows the fan motor to be placed up to 4.5 metres away from the downdraft. Ducting not supplied with unit.



Please refer to the installation manual for cutout guides.

	DD-600RR-G / DD-900RR-G	DDC800BI
SIZE:	600mm / 900mm	800mm
TYPE OF DOWNDRAFT:	Rear-riser downdraft	Built-in downdraft
NOISE:		72db
SPEED SETTINGS:	****	***
REMOVABLE ALUMINIUM FILTER:	✓	✓
TIMER:		✓
TOUCH CONTROL:	✓	✓
CHILD LOCK:		✓
CARBON FILTER AVAILABLE:		
DURABLE STAINLESS STEEL:	✓	
AVAILABLE WITHOUT COOKTOP INTEGRATION:	✓	
REMOTE MOTOR KIT SUPPLIED:	✓	
INTEGRATED LED LIGHTS:	✓	